Sand Gravel Pit

PCM104131



Item no. PCM104131-0901				
General Product Information				
Dimensions LxWxH	11'9"x10'7"x9'6"			
Age group	2 - 5			
Play capacity (users)	24			
Color options				



The Sand Gravel Pit is an immensely attractive sand play unit that will absorb children in play for hours and hours. The crane is worked by pulling the chain. The sand bucket will go up or down or all around, but it will stay put when the chain is let go of. This, apart from providing fascinating sand play, is a great training of children's logical thinking skills. The negotiation and cooperation to get sand to and from the funnel via the buckets or sand scoops is great for older children and develops socialemotional skills. In the house, multiple tactile elements can be moved to entertain children who wait for the sand crane. The sand funnel here supports children's understanding of object permanence: that things can still exist when out of sight. The platform is open and can be accessed in multiple ways, allowing for all users to play. And on the side, a somersault bar takes care of any surplus energy needed to be burnt.



Sand Gravel Pit

PCM104131





Sand bucket Physical: cross coordination thereby developing cooperation of left and right brain half which is necessary for academic skills such as reading. Cognitive: understanding of object permanence, emptying and filling bucket.





Sand wheel Cognitive: the turning sand wheel stimulates cause and effect understanding.



Sand shovel

Physical: develops dexterity and upper body muscles. **Cognitive:** understanding of object permanence, emptying and filling scoop.



Play sphere

Social-Emotional: can be played from both sides, encouraging cooperation. **Cognitive:** cause and effect understanding. **Creative:** leave a mark and place the spheres at different positions.



Sand scoops

Physical: hand eye coordination and pushpull movements. Social-Emotional: invites cooperation with two sides and provides for parallel play. Cognitive: logical thinking: cause and effect understanding when running scoops in grooves or shifting materials from scoop to scoop. Creative: shifting scoops, creating new scoop positions.



Somersault bar

Physical: develop balance and core when hanging from knees. Arm, leg and core muscles are developed when climbing up, somersaulting around. Balance and spatial awareness are strengthened. Social-Emotional: meeting, socializing and turntaking when climbing up and down via bar.



Funnel

Social-Emotional: trains cooperation and turn-taking as children put materials into the funnel. Cognitive: the passing of materials through funnels supports the children's logical thinking and for younger children the understanding of object permanence: that materials don't vanish but run through at the other end.

Sand Gravel Pit



10 Years

PCM104131



Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.




Main posts with hot-dip galvanized steel footing are available in different materials: Pressure impregnated pinewood posts. Pre-galvanized inside and outside with powder-coated top finish steel posts. Lead-free aluminum with color anodized top finish. Greenline TexMade posts of 100% post-consumer recycled PE and textile waste.



All decks are supported by uniquely designed low-carbon aluminum profiles with multiple attachment options. The grey-colored molded decks are made of 75% post-consumer ocean waste PP material with a non-skid pattern and texture surface.

Item no. PCM104131-0901						
Installation Information						
Max. fall height		2'11"				
Safety surfacing area		382ft ²				
Total installation time		19.4				
Excavation volume	C	.43yd³				
Concrete volume	C	.05yd³				
Footing depth (standard)		2'11"				
Shipment weight	1	170lbs				
Anchoring options	In-ground	~				
	Surface	~				
Warranty Information						
EcoCore HDPE	L	ifetime				
Post	10) Years				
PP Decks	10) Years				
Solid plastic parts	10) Years				



The sand hoist is designed with upper and lower EcoCore tracks of large diameter that always ensures safe distance between the chains so they cant be crossed for entanglement. The chain is made of high-quality stainless-steel to ensure long durability of the product.



The sand bucket is made in one piece of molded PE. The PE is made with 33% postconsumer materials in different colors with a wall thickness of minimum 5mm. Material in accordance with the European Standard EN 71-3 and tested for UV stability.



KOMPAN GreenLine versions are constructed with the most environmentally friendly materials with the lowest possible CO2e emission factor. TexMade posts, EcoCoreTM panels of 100% post-consumer recycled ocean waste, and molded PP decks.

Elevated activities 6	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	6	3	2
Required	3	2	2

ASTM F1487 compliant

Spare Parts Availability

Sustainability Data

PCM104131



Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO2e	kg CO₂e/kg	%
PCM104131-0950	821.26	1.90	66.90
PCM104131-0901	1,014.16	2.55	57.27

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk +45 7731 1000

By Bureau Veritas HSE





PCM104131

* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW

5 / 09/05/2024