


# Play Panel High - Communication

PCM003721



Item no. PCM003721-0901	
<b>General Product Information</b>	
Dimensions LxWxH	121x12x105 cm
Age group	2+
Play capacity (users)	4
Colour options	

For children and adults with difficulties communicating or expressing their needs verbally, a communication board is a helpful playground asset.

This communication board depicts the most common needs and responses in an easily understandable way, such as happy, sad, hungry, thirsty, tired. The panel also aids with

cues for communication, such as yes/no, pronouns, questions or numbers and letters. Finally, the board has symbols for important locations such as home and school, as well as practical locations such as the restrooms.



# Play Panel High - Communication

PCM003721



Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 95% post-consumer recycled PE and textile waste.

High-quality polyethylene with a thickness of 12mm. The graphic prints are added by a unique multi-layer print process where the inner layer is the image and outer transparent layer functions as protection. Both polyethylene panel and the water-based lacquer are UV stabilized to prevent fading.

Item no. PCM003721-0901

## Installation Information

Max. fall height	0 cm
Safety surfacing area	11.0 m <sup>2</sup>
Total installation time	2.6
Excavation volume	0.05 m <sup>3</sup>
Concrete volume	0.00 m <sup>3</sup>
Footing depth (standard)	85 cm
Shipment weight	44 kg
Anchoring options	In-ground ✓

## Warranty Information

Hot dip galvanised steel	Lifetime
Polycarbonate PC panels	10 years
Post	10 years
Spare parts guaranteed	10 years

**EN**  
**1176**  
compliant

# Sustainability Data

PCM003721



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
<b>PCM003721-0950</b>	88.89	2.48	57.99
<b>PCM003721-0901</b>	101.31	3.37	42.97

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



## Verification of CO<sub>2</sub> calculation of: Themed play systems



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
 www.bureauveritas.dk  
 +45 7731 1000





# Play Panel High - Communication

PCM003721

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



PCM003721

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)