Swing Frame for 6 seats

NRO926



Item no. NRO926-0901		
General Product Information		
Dimensions LxWxH	1200x219x290 cm	
Age group	2+	
Play capacity (users)	-	
Color options		



A harmonic design of play frames attract attention. Swinging in a stable, solid framework increases the feeling of security and thus increases the force, concentration and energy that the child dare put into swinging. The more stable, the more play intensity. So children will come back to enjoy the archaic experience of swinging, again and again, benefiting their development of balance and coordination. Adding more seats in a swing frame motivates and enhances social play and cooperation.



Swing Frame for 6 seats

NRO926



Item no. NRO926-	0901	
Installation Information		
Max. fall height	0 cn	n
Safety surfacing area	0.0 m	2
Total installation time	12.4	4
Excavation volume	2.38 m	3
Concrete volume	0.72 m	3
Footing depth (standard)	88 cn	n
Shipment weight	920 kg	g
Anchoring options	In-ground 🗸	,



Sustainability Data

Cradle to Gate A1-A3

NRO926-0901

NRO926



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

140.20

CO2e/kg

kg CO₂e/kg

0.21

Recycled


materials

%

1.30


Swing Frame for 6 seats

NRO926






* Max fall height | ** Total height



NRO926 **290cm ***0m²



4 / 04/22/2024