## Swing Frame for 1 seats

NRO921



Item no. NRO921-0901				
General Product Information				
Dimensions LxWxH	321x219x290 cm			
Age group	2 - 12			
Play capacity (users)	-			
Colour options				



A harmonic design of play frames attract attention. Swinging in a stable, solid framework increases the feeling of security and thus increases the force, concentration and energy that the child dare put into swinging. The more stable, the more play intensity. So children will come back to enjoy the archaic experience of swinging, again and again, benefiting their development of balance and coordination.



1 / 08/08/2024

# Swing Frame for 1 seats





All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



The hardware is made of stainless steel or galvanised steel to ensure durable connections with a high corrosion resistance.

Item no. NRO921-0901					
Installation Information					
Max. fall height	(	) cm			
Safety surfacing area	18.	5 m²			
Total installation time		5.6			
Excavation volume	1.1	9 m³			
Concrete volume	0.3	5 m³			
Footing depth (standard)	88	3 cm			
Shipment weight	39	0 kg			
Anchoring options	In-ground	~			
Warranty Information					

KO

Warranty mormation		
Robinia wood	15 years	
Spare parts guaranteed	10 years	
Swing hangers	5 years	



There are Multiple footing options for all products: Surface anchoring with steel footings and expansion bolts. Wood in-ground or steel in-ground footings.

Elevated activities (	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	0	0
Required	0	0	0



## **Sustainability Data**

Cradle to Gate A1-A3

NRO921-0901

NRO921



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO, calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

#### mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

48.68

CO2e/kg

kg CO<sub>2</sub>e/kg

0.17

Recycled


materials

%

0.85




NRO921






\* Max fall height | \*\* Total height



NRO921 \*\* 9'-6" / 290cm \*\*\*199ft<sup>2</sup> / 18.5m<sup>2</sup>



NRO921

Click to see TOP VIEW

Click to see SIDE VIEW

4 / 08/08/2024