# **Sitting Pole**

NRO209



Item no. NRO209-0601				
General Product Information				
Dimensions LxWxH	0'6"x0'6"x1'0"			
Age group	6m - 5			
Play capacity (users)	1			
Color options				





The smooth, solid wood sitting pole is scaled to the age group and provides comfortable seating for children to gather and socialize. This product is available as FSC® Certified (FSC® C004450) robinia wood on request.

# **Sitting Pole**

NRO209





Pole seats Physical: balancing and jumping from one seat to the next trains balance, proprioception and builds bone density. **Social-Emotional:** sharing, listening when having a break.



## **Sitting Pole**

NRO209



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Item no. NRO209-0601						
Installation Information						
Max. fall height		0'0"				
Safety surfacing area		0ft <sup>2</sup>				
Total installation time		0.9				
Excavation volume	0	.05yd³				
Concrete volume		0yd³				
Footing depth (standard)		2'0"				
Shipment weight		34lbs				
Anchoring options	In-ground	~				
	Surface	~				
Warranty Information						
Robinia Wood	10	Years				
Spare Parts Availability	10	Years				

Elevated activities <b>0</b>	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1

## **Sustainability Data**

Cradle to Gate A1-A3

NRO209-0601

NRO209



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

### maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



B U R E A U V E R I TAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

2.00

CO2e/kg

kg CO<sub>2</sub>e/kg

0.15

Recycled

materials

%


0.23



NRO209

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

KOMPAN Let's play



\* Max fall height | \*\* Total height

5 / 07/10/2024