
Cross Training Pro Combi 3

FAZ204



	KOMPAN Let's play			
Item no. FAZ	20400-0900			
General Product Information				
Dimensions LxWxH	1050x106x334 cm			
Age group	13+			
Play capacity (users)	9			
Colour options				





The two Core Twist poles rotate 360° clockwise and counter clockwise with a resistance that can be determined by the speed of movement. The Core Twist offers everyone a complete functional workout aimed at increasing overall strength and core stability. An innovative magnetic breaking system in the Magnetic Bells allow the user to increase the resistance by increasing the speed of movement. The patented system also functions as a brake when someone drops the magnetic bells and will reduce the impact significantly. With the suspension trainer, everyone can workout at their own level due to the scalable resistance. The intensity of each exercise can be determined simply by adjusting the body position to add more or less resistance.



Cross Training Pro Combi 3



10 years

FAZ204



The uniquely designed handles are made of PUR and a reinforced aluminium frame that ensures a strong but light design. The ergonomically shaped handles guarantee a good and pleasant grip for all users.



The big instruction signs are made as a sandwich construction consisting of 2 x 6mm polycarbonate sheets with clear instructions printed on the inside of the panels. This provides a vandalism proof solution.



The magnets which are used are high strength neodymium magnets. The magnetic radiation is under strict control, the radiation level never exceeds 5 Gauss (0.5mT), which makes them perfectly safe to use as a training item.

Item no. FAZ20400-0900					
Installation Information					
Max. fall height		0 cm			
Safety surfacing area	44	l.0 m²			
Total installation time		15.3			
Excavation volume	1.	63 m³			
Concrete volume	0.	83 m³			
Footing depth (standard)	ę	90 cm			
Shipment weight	8	98 kg			
Anchoring options	In-ground	~			
	Surface	~			
Warranty Information					
Coated Steel Parts	10	years			
PUR Components	10	years			
Ropes & Nets	10	years			
Signs	10	years			



The tubes on which the magnetic bells move on are ø40mm, made of grade AW 6082-T6 aluminium and have an anodized layer of 20 μ m. The tube has a full steel core for structural integrity.



The ergonomically shaped PUR elements on the captain's chair support good posture and good isolation to make the exercise as comfortable as possible.



Each suspension trainer has three sets of handles positioned at three different heights, 40, 90 and 130cm. This allows people of all heights to do the exercises and gives the user the opportunity to do over 40 different exercises.



Spare Parts Guarantee

Sustainability Data

FAZ204




Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
FAZ20400-0900	2,219.73	3.24	43.60

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



Data is subject to change without prior notice.

+45 7731 1000

By Bureau Veritas HSE

www.bureauveritas.dk



FAZ204

* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height

