## 10-Seat Steel Frame H:2.5m

KSW9210



Item no. KSW9210-0910	
General Product Information	
Dimensions LxWxH	1760x184x257 cm
Age group	2+
Play capacity (users)	-
Color options	

# 

Portal Swing Frame Combination



Data is subject to change without prior notice.

## 10-Seat Steel Frame H:2.5m

KSW9210



Item no. KSW9210-0910		
Installation Information		
Total installation time	13.9	
Excavation volume	3.16 m³	
Concrete volume	0.00 m³	
Footing depth (standard)	90 cm	
Shipment weight	643 kg	
Anchoring options	In-ground 🗸	
Warranty Information		
Hot dip galvanised steel	Lifetime	
Movable parts	2 years	
Post	10 years	
Spare parts guaranteed	10 years	



## **Sustainability Data**

Cradle to Gate A1-A3

KSW9210-0910

KSW9210



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Freestanding play equipment



#### Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

#### maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

#### Publication date: 30. October 2023



+45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

1,453.49

Recycled

materials

%

46.66

CO<sub>2</sub>e/kg

kg CO<sub>2</sub>e/kg

3.19