
PCM000121





Item no. PCM000121-0650

General Product Information

Dimensions LxWxH 121x42x77 cm Age group 6m+

Play capacity (users)

Colour options



The Play Counter is full of WOW for young children: Loaded with play activities that will keep them playing. The scale is perfectly suited to the play of young children. The height of the openings and panels support the first steps, as the infant gets good grip support thanks to the holes and openings. The desk with opening supports social games such as peek-a-boo.

These games stimulate children socially as well as cognitively as they begin to understand that people and objects still exist when out of sight. The sphere is bright and runs in a groove. When the young child uses it there is an understanding of cause and effect. As the sphere moves on both sides, children will discover the theory of mind and that others

may have other intentions than they do. This encourages cooperation and taking turns.





PCM000121





















Two sides
Social-Emotional: the low height and the
transparency of the panel invites cooperation
and communication.




Desk

Social-Emotional: fine meeting place and a space creator. Sharing and cooperation from both sides to create a social scenario that supports communication and cooperation.

PCM000121






Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



Main posts with hot dip galvanized steel footing are available in different materials: Pressure impregnated pine wood posts. Pre-galvanized inside and outside with powder coated top finish steel posts. Lead free aluminum with color anodized top finish. Greenline TexMade posts of 95% post-consumer recycled PE and textile waste.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with the lowest possible CO2e emission factor such as EcoCoreTM panels of 100% post consumer recycled ocean waste.


Item no. PCM000121-0650			
Installation Information			
Max. fall height		0 cm	
Safety surfacing area	11	.3 m²	
Total installation time		2.8	
Excavation volume	0.0	05 m³	
Concrete volume	0.0	00 m³	
Footing depth (standard)	6	60 cm	
Shipment weight	4	42 kg	
Anchoring options	In-ground	•	
	Surface	•	
Warranty Information			
EcoCore HDPE	Lifetime		
Post	10 years		
Spare Parts Guarantee	10 years		



Sustainability Data

PCM000121





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PCM000121-0650	38.57	1.30	80.60
PCM000121-0601	46.45	1.69	73.89


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000

PCM000121



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

