Triple Bars

FPW210






Street workout is a physical activity that symbolizes the freedom of movement and encourages socializing. It is a combination of athletics, calisthenics and other sports, and mostly performed in the public space. A Parallel Bar can be found on every street workout area to train the upper body and core stability. This triple parallel bar is 140 cm high, enough to perform dips with extended legs. The rounded corners make it easy to swing your legs across the Parallel Bars, making it safe to try new tricks without the risk of injuries.

Triple Bars

FPW210









The connectors are made of die-cast aluminium.

specially alloyed for the outdoor environments

connectors are stainless steel and protected by

and heavy usage. The screws attaching the

zinc washers.



Bars intended as grips during exercises are made of hot-dip galvanised steel ø38mm. A great diameter to support the wrist when doing dips or handstands.

Item no. FPW21000-0900	
Installation Information	
Max. fall height	140 cm
Safety surfacing area	18.5 m²
Total installation time	3.3
Excavation volume	0.38 m³
Concrete volume	0.20 m³
Footing depth (standard)	90 cm
Shipment weight	142 kg
Anchoring options	



Sustainability Data

Cradle to Gate A1-A3


FPW21000-0900

FPW210



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Somo

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

319.30

CO2e/kg

kg CO₂e/kg

3.39

Recycled

materials


%


48.40

Triple Bars

FPW210

* Max fall height | ** Total height





FPW21000 1:100

Click to see TOP VIEW



