12-Seat Steel Frame H:2.5m

KSW9212



| Item no. KSW | /9212-0910 | |
|-----------------------------|-----------------|--|
| General Product Information | | |
| Dimensions LxWxH | 2110x184x257 cm | |
| Age group | 2+ | |
| Play capacity (users) | - | |
| Color options | | |

Portal Swing Frame Combination



Data is subject to change without prior notice.

12-Seat Steel Frame H:2.5m

KSW9212



| Item no. KSW9212 | 2-0910 | |
|--------------------------|---------------------|---|
| Installation Information | | |
| Total installation time | 16.2 | 2 |
| Excavation volume | 3.69 m ³ | 3 |
| Concrete volume | 0.00 m ² | 3 |
| Footing depth (standard) | 90 cm | n |
| Shipment weight | 758 kg | J |
| Anchoring options | In-ground 🗸 | |
| | | |
| | | |
| | | |



Sustainability Data

Cradle to Gate A1-A3

KSW9212-0910

KSW9212



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

1,707.90

CO2e/kg

kg CO₂e/kg

3.18

Recycled

materials

%

46.70