NRO2006



Item no. NRO2006-1021		
General Product Information		
Dimensions LxWxH	469x686x440 cm	
Age group	5 - 12	
Play capacity (users)	14	
Colour options		



The Double Tower with Spider Net is a fantastic and versatile play piece that children will want to try again and again. The spider net has partly inclined horizontal rungs, which adds challenge to the climb. It is a fine meeting point, inviting children to cooperate and take turns, stimulating their social-emotional development. Climbing trains the crosscoordination, which again trains cross-modal perception, necessary for reading. The tower is a great destination for all, taking children via accessible stairs to the options of a slide or a rotating movement down on the Curly Climber. The Curly Climber stimulates the proprioception and sense of space and balance. On ground level a somersault bar

provides horizontal rotation, training the sense of space.







NRO2006



Slide Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking.





Somersault bar

Physical: develop balance and core when hanging from knees. Arm, leg and core muscles are developed when climbing up, somersaulting around. Balance and spatial awareness are strengthened. Social-Emotional: meeting, socializing and turntaking when climbing up and down via bar.



Accessible stairway

Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. For young children, walking stairs and alternating feet is developed. Social-Emotional: room for active breaks and adult helpers. An inclusive space.



Vertical spider net

Physical: cross coordination is supported when crawling through, over and across the net. This supports the cooperation of left and right brain half, important for skills such as reading. The core, arm and leg muscles are strengthened. Social-Emotional: taking a break together in the net and waiting for others to cross supports social abilities such as cooperation and communication.



Curly climber

Physical: coordination and proprioception are supported when placing arms and legs correctly for going down. Sense of balance when rotating. Arm muscles for holding tight. Social-Emotional: empathy stimulated by turn-taking. Cognitive: logical thinking when placing arms and legs right for rotating downwards.



NRO2006



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The paint used for coloured components is water based environmentally friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



The stainless-steel slides with one-piece slide bed are made of high-quality stainless-steel AISI 304.

Item no. NRO2000	-1021			
Installation Information				
Max. fall height	25	3 cm		
Safety surfacing area	57.	8 m²		
Total installation time		31.2		
Excavation volume	1.8	2 m³		
Concrete volume	0.3	0 m³		
Footing depth (standard)	10	0 cm		
Shipment weight	1,55	59 kg		
Anchoring options	In-ground	~		

Item no. NRO2006-1021

Warranty Information	
Robinia wood	15 years
Ropes & nets	10 years
Spare parts guaranteed	10 years
Stainless steel components	Lifetime
Stainless steel components	Lifetime



Ropes of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester yarn is made from +95% post-consumer materials and is inductively melted onto each strand.



The hardware is made of stainless steel or galvanised steel to ensure durable connections with a high corrosion resistance.



The Robinia products are designed with a KOMPAN colour concept with a number of different standard colours. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood colour.

Elevated activities 3	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	3	1	1
Required	2	1	1



Sustainability Data

NRO2006



Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO2006-1021	664.48	0.54	6.89

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mind

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



+45 7731 1000


By Bureau Veritas HSE

www.bureauveritas.dk




NRO2006

* Max fall height | ** Total height | *** Safety surfacing area



Click to see TOP VIEW



* Max fall height | ** Total height

Click to see SIDE VIEW

5 / 07/10/2024