
10-Seat Steel Frame H:2.5m

KSW9210







Portal Swing Frame Combination

10-Seat Steel Frame H:2.5m

KSW9210



Item no. KSW9210-0910				
Installation Information				
Total installation time	13.9			
Excavation volume	3.16 m³			
Concrete volume	0.00 m³			
Footing depth (standard)	90 cm			
Shipment weight	643 kg			
Anchoring options	In-ground 🗸			
Warranty Inform	nation			
Warranty Inform Hot dip galvanised steel	nation Lifetime			
•				
Hot dip galvanised steel	Lifetime			



Sustainability Data

KSW9210





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
KSW9210-0910	1,453.49	3.19	46.66

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misiE

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000

