Slide, PE

BASIC350





Item no. BASIC350-3418P

General Product Information

Dimensions LxWxH 65x303x198 cm
Age group 2+
Play capacity (users) 2
Colour options














important for avoiding back and neck pains which is often a growing problem in children due to sedentary lifestyles. Sliding also trains the child's sense of balance and spatial understanding. These skills are essential in navigating the world securely and are fundamental aspects of all motor skills and physical confidence in the child. The steps of

the stair are great for little knees and hands with a PUR cover, making children feel confident to climb.



Slide, PE

BASIC350













Physical: develops spatial awareness, sense of balance and trains core muscles when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking. Cognitive: young children develop their understanding of space, speed and distances when sliding down.





Stair ladder

Physical: cross coordination is used, supporting the cooperation of the left and right halves of the brain, which. For young children.

Slide, PE

BASIC350





Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use but also consists of a core produced from 100% recycled material.



The slide is made of moulded PE, which has excellent impact strength and is suitable for hot climates.



Steps are made of PUR. It retains its properties in the temperature range of -30°C to 60°C. Material is UV stabilised.

Item no. BASIC350-3418P			
Installation Information			
Max. fall height	12	20 cm	
Safety surfacing area	18	3.4 m²	
Total installation time		4.8	
Excavation volume	0.	67 m³	
Concrete volume	0.	00 m³	
Footing depth (standard)	6	66 cm	
Shipment weight	1	36 kg	
Anchoring options	In-ground 🗸		
	Surface	•	
Warranty Information			
EcoCore HDPE	Lifetime		
PE Slide	10 years		
PUR Components	10 years		
Spare Parts Guarantee	10 years		



Sustainability Data


BASIC350





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
BASIC350-3418P	155.39	1.45	66.09


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


BASIC350



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW