Rumba Bench Straight 100cm

PAR1001



Item no. PAR1001-0021	
General Product Informatio	'n
Dimensions LxWxH	100x52x43 cm
Age group	
Play capacity (users)	2
Colour options	






RUMBA comes with the endless of possibilities to realize seating in customized design for all outdoor environments. RUMBA is the most flexible way of marrying seating solutions to the environment, in perfect harmony - geometry meets geography. Built around simple circles and curves, they can be adapted to provide custom-built twists and turns. The standard available benches and tables can be dressed up with back supports, armrests, tables etc. and linked together into tailored solutions for the individual location.

Rumba Bench Straight 100cm



PAR1001




Boards are made of ash wood from sustainable European sources. The ash wood is thermo treated according to CEN/TS 15679, durability class 2 according EN350-2. Boards are made of pine wood from sustainable

European sources. The wood is pressureimpregnated according to EN335:2013, Class 3 (Equivalent to NTR Class AB). On request it can be supplied as FSC® Certified (FSC® C004450).



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outdoor environments and require low maintenance.


Item no. PAR100	01-0021		
Installation Info	rmation		
Total installation time		0.8	
Excavation volume	0.0	0 m³	
Concrete volume	0.0	0 m³	
Footing depth (standard)	() cm	
Shipment weight	4	0 kg	
Anchoring options	Surface	~	
	In-ground	~	
Warranty Information			
Warranty Infor	mation		
Warranty Infor Ashwood	mation 10 y	ears	
-	10 y	ears time	
Ashwood	10 y	time	
Ashwood Hot dip galvanised steel	10 y Life	time ears	



The furniture is a freestanding product with optional anchoring possibilities. Kompan has multiple anchoring's to fit specific requirements for individual customer projects. The anchoring is sold as separate modules.



KOMPAN outdoor furniture is available for surface and in-ground installation. Surface installation by anchoring to base layer or inground installation as either direct in ground or additional hot dip galvanized steel brackets.



The standard available benches and tables can be dressed up with back support, armrests, tables etc. and linked together into tailored solutions for the individual location.

Sustainability Data

Cradle to Gate A1-A3

PAR1001-0021

PAR1001



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Somo

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

111111

Total CO2

emission

kg CO₂e

49.25

CO₂e/kg

kg CO₂e/kg

1.73

Recycled

materials

%

32.12