Inclusive Seat, 10ft H, 4-Chain

SW990208



Item no. SW990208-0107				
General Product Information				
Dimensions LxWxH	0'0"x0'0"x0'0"			
Age group	5 - 12			
Play capacity (users)	1			
Color options				



The rounded shapes of the Inclusive Swing Seat attract children of all ages and abilities. The self-initiated movement, the great ergonomic and the feeling of security while swinging will make children return again and again for more play. For children who need assistance entering, or support for their seated position, the one-hand operated harness offers comfortable grips and security. The upright swinging position allows all children eye contact with their care giver and a view of the surroundings while swinging. The trill of independent play is ensured by the self-starter function which allows for pushing and pulling the swing into motion. This amplifies the freedom of movement and the feeling of achievement for children who cannot otherwise swing without assistance. When swinging, children train the sensory system of balance, focal tracking, and muscle tonus. But not least, for all children, swinging is one of the most beloved play activities. Participating in the joy of swinging may be the biggest socialemotional thrill of the playground.

Inclusive Seat, 10ft H, 4-Chain

SW990208



Inclusive Seat Physical: balance, coordination and spatial awareness are developed when swinging. These are necessary skills for judging distances and navigating. The swinging movement trains arm, leg and core muscles. Social-Emotional: the upright swinging position allows children eye contact with their care giver. The seat is shaped to support varied body sizes. Cognitive: cause and effect understanding and thinking skills for younger children when swinging.





Harness

Physical: The harness can be operated with one hand and is clicked open and locked. The raised position of the harness allows for easy transfer in and out of the seat. Social-Emotional: The harness has several grip supports to ensure the feeling of security when swinging.



Front chains

Physical: pushing and pulling chains requires coordination and trains muscles. Social-Emotional: Being able to swing independently amplifies the feeling of achievement for children who cannot otherwise swing without assistance. Cognitive: the insight that the children can affect motion with body movements strengthens logical thinking and the understanding of cause and effect.

Inclusive Seat, 10ft H, 4-Chain



SW990208



The inclusive swing seat is made of recyclable polyethylene (PE) using 33% post-consumer materials. The seat is molded in one piece and equipped with a drain hole to avoid water accumulation. The ergonomic design enables a safe and comfortable seating position.



The Harness is made of molded recyclable polyethylene (PE) from 33% post-consumer materials. The Harness utilizes a stainless-steel torsion spring, which makes the Harness stay in all positions to secure easier user entry and exit. The harness lock is designed with a one-handed operation slider made from stainless steel.



The front bumper has a solid polypropylene (PP) core with a softer outer layer of thermoplastic rubber (TPE) and an 8mm thick EPDM membrane rear bumper. The soft, shockabsorbent bumpers with nonslip surfaces make the swing seat highly safe for caretakers.

Item no. SW990208-0107			
Installation Information			
Max. fall height	0'0"		
Safety surfacing area	Oft ²		
Total installation time	1.9		
Excavation volume	0yd³		
Concrete volume	0yd³		
Footing depth (standard)	0'0"		
Shipment weight	88lbs		
Anchoring options			

Warranty Information		
Chains	10 Years	
Hollow PE Parts	10 Years	
Movable parts	2 Years	
PE/PP Components	5 Years	
Spare Parts Availability	10 Years	



The seats are available with chains of either Ø6 hot dip galvanized steel with surface treatment according to ISO1461 or with Ø6 high-quality stainless-steel chains. Furthermore, the swing seat has a unique KOMPAN self-starter function with four chains of yolk suspension.



The KOMPAN Inclusive swing seat is available in six color combinations to ensure it fits any playground style. The seats fit all KOMPAN swings with steel crossbeams at 2.5m and 3m heights.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with the lowest possible CO2e emission factor, such as EcoCore™ molded PE parts of 33% postconsumer recycled.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	0	0
Required	0	0	0

ASTM F1487 compliant

Sustainability Data

Cradle to Gate A1-A3

SW990208-0107

SW990208



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



+45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

109.75

CO2e/kg

kg CO₂e/kg


3.12

Recycled

materials

%

32.99



SW990208

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

Click to see TOP VIEW

Click to see SIDE VIEW

