NRC200201





Additionally, the play activities train muscles


Item no. NRC200201-1021

General Product Information

Dimensions LxWxH 855x646x463 cm Age group 2 - 5 Play capacity (users) 21

Colour options





and conditions. The social-emotional benefits of the spacious platforms and steps are many: allowing children significant and challenging media to play benefits their social skills for life as they train their abilities to negotiate, cooperate and make friends.



egress. These towers are connected by an

NRC200201









Inclined climbing wall

Physical: develops children's crosscoordination, eye-hand coordination and muscle strength when climbing. Social-Emotional: learning about turn-taking and cooperation.













Beehive Panel

Physical: Shifting the parts trains hand-eye coordination and supports the understanding of material characteristics (e.g. texture). Social-Emotional: When moving and stacking the beehive parts, children train cooperation and turn-taking. Cognitive: Figuring out how to turn the beehive oval to make it move trains logical thinking skills. The beehive theme invites dramatic play scenarios. Creative: placing the ovals in new positions leaves a mark.



Curved slide



Physical: sliding develops spatial awareness

and a sense of balance. Furthermore, the core

muscles are trained when sitting upright going

down. Social-Emotional: empathy stimulated

by turn-taking. Cognitive: young children develop their understanding of space, speed

and distances when sliding down quickly.











Physical: children develop spatial awareness in the open net. Social-Emotional: interaction with children outside, socializing. Cooperation and consideration, e.g. when passing others.





Supportive handholds

Physical: handhold provides good grip for less confident climbers. Pulling yourself up and in trains upper body muscles. Social-**Emotional:** allows for a range of physical abilities to enter independently and securely,



Double slide



Physical: sliding develops spatial awareness

and a sense of balance. Furthermore, the core

muscles are trained when sitting upright going

down. Social-Emotional: invites socializing,

supports parent-child and peer-to-peer play.

understanding of space, speed and distances

Cognitive: young children train their

when sliding down quickly.













Physical: the hole allows for crawling through, developing cross-coordination, proprioception and spatial awareness. Social-Emotional: cooperation and turn-taking when negotiating who goes first through the hole. Cognitive: understanding space, shape and measures when seeing if the body fits through the hole.



supporting play for all.

NRC200201





All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Transparent brown pigmented and colored parts, are coated with water-based paint and pigment that is environmentally friendly and with excellent UV resistance. The paint and pigment is in compliance with EN 71 Part 3.



The products are preassembled from the factory to ensure all safety requirements are considered. Please note that each Robinia fantasy structure will have its own unique appearance because of the natural shape of the individual wood posts.



Max. fall height 197 cm Safety surfacing area 83.8 m² Total installation time 53.7 Excavation volume 4.53 m³ Concrete volume 3.00 m³ Footing depth (standard) 100 cm

Item no. NRC200201-1021 Installation Information

Shipment weight 2,813 kg Anchoring options In-ground

Warranty Information Corocord rope 10 years Hollow PE parts 10 years Robinia wood 15 years 10 years Spare parts guaranteed Stainless steel Lifetime components



There are Multiple footing options for all products: Surface anchoring with steel footings and expansion bolts. Wood in-ground or steel in-ground footings.



The hardware is made of stainless steel or galvanised steel to ensure durable connections with a high corrosion resistance.



The slides can be chosen in six different colors and three materials: Straight or curved onepiece molded PE slides, made from 33% recycled post-consumer materials in different colours. Combined EcoCore™ sides and stainless-steel. Full stainless steel in one piece design for more vandalism proof solutions.

Elevated activities 5	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	5	2	2
Required	2	2	2

CSA compliant

Sustainability Data

NRC200201





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRC200201-1021	701.69	0.29	3.34

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





NRC200201



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW