


# Goal

FRE3050




|                                    |               |
|------------------------------------|---------------|
| Item no. FRE3050-3517              |               |
| <b>General Product Information</b> |               |
| Dimensions LxWxH                   | 251x75x200 cm |
| Age group                          | 3+            |
| Play capacity (users)              | -             |
| Color options                      | ●             |

Stand alone goals offers all kinds of ball & stick games in public settings.



# Goal

FRE3050



All steel components are manufactured from carbon steel, welding's according EN ISO 5817 & Hot dip galvanised (HDG) according to ISO1461. This process ensures good protection in all circumstances.

Item no. FRE3050-3517


### Installation Information

|                          |                          |
|--------------------------|--------------------------|
| Max. fall height         | 0 cm                     |
| Safety surfacing area    | 0.0 m <sup>2</sup>       |
| Total installation time  | 1.3                      |
| Excavation volume        | 0.25 m <sup>3</sup>      |
| Concrete volume          | 0.00 m <sup>3</sup>      |
| Footing depth (standard) | 68 cm                    |
| Shipment weight          | 224 kg                   |
| Anchoring options        | In-ground ✓<br>Surface ✓ |



# Sustainability Data

FRE3050



| Cradle to Gate A1-A3 | Total CO <sub>2</sub> emission | CO <sub>2</sub> e/kg    | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
|                      | kg CO <sub>2</sub> e           | kg CO <sub>2</sub> e/kg | %                  |
| <b>FRE3050-3517</b>  | 531.02                         | 2.59                    | 49.92              |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



## Verification of CO<sub>2</sub> calculation of: Sport



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Sport" represented by item no.: FRE600202-0901.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
 www.bureauveritas.dk  
 +45 7731 1000




# Goal


FRE3050

\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



FRE3050  
\*\*200cm



FRE3050

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)