
Agora Steel Hangout Bench

PAR4163



| Item no. PAR4 | 163-0609 | | |
|-------------------------------|--------------|--|--|
| General Product Information | | | |
| Dimensions LxWxH Age group | 23x150x70 cm | | |
| Play capacity (users) | | | |
| Colour options | | | |



Inclusive Design As Standard AGORA is designed to fulfil the UN Convention on the Rights of Persons with Disabilities (CRPD), which requires universal design principles when creating public spaces. Installing AGORA $\overline{\mathbf{h}}$

1 / 05/12/2025

Outdoor Furniture plays an essential role in our

communities by adding an inviting and social

atmosphere, a place to meet, socialise or rest.

Agora Steel Hangout Bench



PAR4163



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outdoor environments and require low maintenance. Painted steel parts are hot dip galvanized before powder coating.



Powder coated top finish on top of galvanisation is processed in two steps: Light grinding and clean sweeping, powder coating - thickness 70-120 μ m.

The Agora full steel assortment is available as standard in 9 different colors to match the selected color scheme on the play, sport or fitness site.

| Item no. PAR4163-0609 | | | | |
|-------------------------------------|-----------|------|--|--|
| Installation Information | | | | |
| Total installation time | 0.8 h | ours | | |
| Excavation volume | 0.11 m³ | | | |
| Concrete volume | 0.08 m³ | | | |
| Footing depth (standard) | 60 cm | | | |
| Shipment weight | 39 kg | | | |
| Anchoring options | Surface | ~ | | |
| | In-ground | ~ | | |
| Warranty Information | | | | |
| Hot dip galvanised steel | Lifetime | | | |
| Painted toplayer | 10 years | | | |
| Spare parts guaranteed | 10 years | | | |
| Stainless steel Lifetime components | | | | |



KOMPAN outdoor furniture is available for surface and in-ground installation. Surface installation by anchoring to base layer or inground installation as either direct in ground or additional hot dip galvanized steel brackets.



The hardware is made of stainless steel or galvanised steel to ensure durable connections with a high corrosion resistance.



The benches and tables can be combined in multiple settings by choosing individual products or assembled into larger solutions. See catalogue pages for more inspiration.

Sustainability Data

Cradle to Gate A1-A3

PAR4163-0609

PAR4163



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Somo

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Burea www.bure

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000

BUREAU VERITAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

71.34

CO2e/kg

kg CO₂e/kg

2.58

Recycled

materials

%

50.00