## Mini Car

M531





Item no. M53170-3313P

General Product Information

Dimensions LxWxH 3'5"x5'9"x3'3"

Age group 2 - 5

Play capacity (users) 6


Color options



The Mini Car signals play loud and clear and attracts infants and toddlers again and again. The cute rounded shapes and the vibrant colours attract. And the manipulative steering wheel, gear and yellow headlight spheres can be handled and turned again and again. The car has three compartments, two of which are relatively open to the front and rear. They both

offer ample seating, and the rear also features two tinkering tables. The themes of traffic and cars are well-known to toddlers. They take a starting point in the toddlers' immediate world and open the scope of going into the wider world. Dramatic play scenarios such as visiting family are played out repeatedly in the Mini Car. This is an important contribution to the

development of language skills and literacy.



## Mini Car

M531





Bench Social-Emotional: gathering, cooperating or taking a break from play all train social skills.











Play sphere

Social-Emotional: can be played from both sides, encouraging cooperation. Cognitive: cause and effect understanding. Creative: leave a mark and place the spheres at different positions.



Social-Emotional: invites interaction between sides and cooperative play.



Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.




Gear shift

language skills.











Cognitive: the manipulative item stimulates cause and effect understanding.

## Mini Car


M531



10 Years



Panels of 19mm EcoCore<sup>™</sup>. EcoCore<sup>™</sup> is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



Foot support is made of HPL with a thickness of 17.8mm with a very high wearing strength and a unique KOMPAN non-skid surface texture.




Handle is made of polypropylene PP with excellent impact strength and usable within a large temperature span.

Item no. M53170-3313P					
Installation Information					
Max. fall height		1'6"			
Safety surfacing area	2	243ft²			
Total installation time		5.6			
Excavation volume	0	.2yd³			
Concrete volume		0yd³			
Footing depth (standard)		1'5"			
Shipment weight	4	40lbs			
Anchoring options	In-ground ✓				
	Surface	~			
Warranty Information					
EcoCore HDPE	Life	etime			
Hot dip galvanized steel	Lifetime				
HPL decks	15 Years				
PE/PP Components	5 Years				



Gear shift is made of PP. PP has good wearing and impact resistance.



Handholds are made of injection molded high quality nylon (PA6). PA6 has good wearing and impact strength.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



Spare Parts Availability

# **Sustainability Data**







Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials	
	kg CO₂e	kg CO₂e/kg	%	
M53170-3313P	223.84	1.60	55.59	

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

M531



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height

