Sitting Pole

NRO210





Product is available as FSC® Certified (FSC® C004450) robinia wood on request.

Item no. NRO210-0501				
General Product Information				
Dimensions LxWxH	27x22x29 cm			
Age group	1+			
Play capacity (users)	1			
Color options				





Sitting Pole

NRO210



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Item no. NRO210-0501			
Installation Information			
Max. fall height		29 cm	
Safety surfacing area		$8.5 \; m^2$	
Total installation time		0.9	
Excavation volume	().07 m³	
Concrete volume	(0.00 m³	
Footing depth (standard)		52 cm	
Shipment weight		16 kg	
Anchoring options	In-ground	· •	
	Surface	~	



Sustainability Data

NRO210





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023







Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO210-0501	2.10	0.16	0.30

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


Sitting Pole






* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



NRO210 *29cm **29cm ***8.5m²



Click to see TOP VIEW

Click to see SIDE VIEW