# Rumba Suncouch 5 ft 2 in

PAR1013





General Product Information		
Dimensions LxWxH	5'3"x4'11"x3'7"	
Age group		
Play capacity (users)	-	
Color options		



Outdoor Furniture plays an essential role in our communities by adding an inviting and social atmosphere, a place to meet, socialise or rest. Contemporary designs for all environments RUMBA is the most flexible way of marrying seating solutions to the environment in perfect harmony – geometry meets geography. Built around simple circles, curves and squares, they can be adapted to provide custom-built twists and turns. RUMBA Sun couch comes with a softly curved seat and high ribbed back which gives the users a comfortable and reclined position and space for relaxation.

# Rumba Suncouch 5 ft 2 in



PAR1013




Boards are made of ash wood from sustainable European sources. The ash wood is thermo treated according to CEN/TS 15679, durability class 2 according EN350-2.

Bench is made of pine wood post pressure impregnated class AB with Tanalith E3475 according to EN335.



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outdoor environments and require low maintenance.

Item no. PAR1013-0021			
Installation Information			
Total installation time		2.1	
Excavation volume		0yd³	
Concrete volume		0yd³	
Footing depth (standard)		0'0"	
Shipment weight	36	3lbs	
Anchoring options	Surface	~	
	In-ground	~	
Warranty Information			
Ashwood	10 Years		
Hot dip galvanized steel	Lifetime		
Pinewood	10 Years		
Spare Parts Availability	10 Years		
Stainless steel components	Life	etime	



The furniture is a freestanding product with optional anchoring possibilities. Kompan has multiple anchoring's to fit specific requirements for individual customer projects. The anchoring is sold as separate modules.

KOMPAN outdoor furniture is available for


surface and in-ground installation. Surface

installation involves anchoring to the base layer,

and in-ground installation is direct in-ground or

additional hot-dip galvanized steel brackets.

The benches and tables can be combined in multiple settings by choosing individual products or assembled into larger solutions. See catalog pages for more inspiration.



## **Sustainability Data**

Cradle to Gate A1-A3

PAR1013-0021

PAR1013



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO<sub>2</sub> calculation of: Park



#### Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

### Somo

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

190.42

CO2e/kg

kg CO<sub>2</sub>e/kg

1.50

Recycled

materials

%

27.83