


# PlayBox™, Indoor, XL48

PBI500201




Ultimate play thrills await in this sky high play unit. The main attraction is the huge, rotating slide. Looping the steps and floors to make it up to that hugely thrilling slide down again makes for the initial 15 minutes of active play time, a KOMPAN Play Institute observation states. However, the ground floor does offer a quieter play panel with Maze Ants for individual

or small group play for a break after the wild slide. Making their way up to the massive slide, the children pass various soft feel speed-balls, rollers and noodels, suspended vertically for exploration, tag and hide-and-seek games. Play shape steps make obstacles for wild races through the floors and also offer a fine seat. On the top floor, a play shape step is placed in the

roof to make a further obstacle for speedy runs. The various floors offer a break and gather point as well as a view of the surroundings, thanks to the see-through outer panels. The sightlines that are secure here create good sightlines and make the stay feel secure for children and care-givers alike.


| Item no. PBI500201-0001     |                |
|-----------------------------|----------------|
| General Product Information |                |
| Dimensions LxWxH            | 335x425x486 cm |
| Age group                   | 3+             |
| Play capacity (users)       | 19             |
| Colour options              |                |



# PlayBox™, Indoor, XL48

PBI500201

KOMPAN®



## High spiral tube slide

**Physical:** develops spatial awareness, sense of balance, trains core muscles when sitting upright going down. **Social-Emotional:** thrill when going down fast. Empathy stimulated by turn-taking.



## Maze ants

**Social-Emotional:** communication and cooperation exploring the maze with friends. **Cognitive:** stimulates memory when memorizing maze routes. Supports rules understanding and strategic thinking. **Creative:** leave a mark and place the spheres at different positions



## Play shapes

**Physical:** balancing on the play shapes and walking or crawling from one to another trains cross-coordination and the sense of balance, which benefits body and posture control. **Social-Emotional:** invites socializing and cooperation. Allows for a break with friends.



## Membrane flap

**Social-Emotional:** cooperation and turn-taking when playing with friends on the other side. **Cognitive:** understanding of object permanence: things can disappear without being gone forever – a thrilling insight.



## Hanging noodles

**Physical:** meandering through the hanging noodles develops children proprioception and sensory skills. **Social-Emotional:** socializing, turn-taking and consideration when passing each other. **Cognitive:** understanding of object permanence: things can disappear without being gone forever – a thrilling insight.



## Speed balls

**Physical:** the sphere allows for both seated and standing swaying, climbing and turning. The sense of balance is developed when swaying. Climbing up strengthens arm and leg muscles. **Social-Emotional:** socialising and turn-taking when deciding who should sit here.



## Roller horizontal

**Physical:** The Horizontal Roll challenges children's balance and coordination as they crawl, push or roll over them. It is a full-body coordination challenge that develops muscle and motor skills. **Social-Emotional:** socializing and turn-taking when deciding who should go next.

# PlayBox™, Indoor, XL48

PBI500201




Our panels are made from HPL or PC, offering excellent resistance to vandalism and wear. With high UV protection for outdoor use, they retain their appearance and play value over time.



Children should be free to play without restraints; safety remains our top priority. All soft play elements are designed to meet the highest global standards and regulations for materials.



Blow molded decks in PP material with non-skid surface texture, climbing handholds and multiple attachment options for play activities.



Pre-galvanized steel tubes with a powder-coated finish ensure exceptional lifetime and low maintenance over time.




UV-stabilized PES polyester rope with EcoYarn™ of 95% post consumer recycled material.



Our slides are made from durable polyethylene. Thanks to our expertise in rotational molding, they are designed to be both safe and enjoyable, delivering a smooth, fast ride for all ages.

|                          |             |
|--------------------------|-------------|
| Item no. PBI500201-0001  |             |
| Installation Information |             |
| Max. fall height         | 100 cm      |
| Safety surfacing area    | 0.0 m²      |
| Total installation time  | 128.7 hours |
| Excavation volume        | 0.00 m³     |
| Concrete volume          | 0.00 m³     |
| Footing depth (standard) | 0 cm        |
| Shipment weight          | 1,484 kg    |
| Anchoring options        | Surface ✓   |
| Warranty Information     |             |
| PP Decks                 | 10 years    |
| Ropes & Nets             | 10 years    |
| HPL Panels               | 5 years     |
| Soft Activities          | 5 years     |
| Spare Parts Guarantee    | 10 years    |

**AS**  
**4685**  
compliant



## Independent review certificate

Kompan A/S  
C. F. Tietgens Blvd. 32C, 5220 Odense SØ

Bureau Veritas hereby attests that the CO<sub>2</sub>e-calculations (covering materials, processing, waste and transport) done by Kompan for "Play Systems", meet the requirements set by the listed standard.

Kompan A/S uses a selection of EPDs and emission factors from the Life Cycle Assessment database Ecoinvent 3.11. These values are reported as kg CO<sub>2</sub>e, with all other impact categories excluded in line with the scope of ISO 14067:2018. The emission factors cover, material use, manufacturing processes, transport to Kompan, and electricity used during manufacturing. The presented emissions fall under GHG Protocol scope 3 emissions. Scope 1 and 2 are not presented. Scope 3 emissions include emission sources in the upstream value chain of a company, downstream emissions are excluded in this analysis.

Method: ISO 14067:2018 using GHG protocol guidance documents, reported as kg CO<sub>2</sub>e.

### Object

The verification has been done on the one pager "PCM310921-0905" version: 27-10-2025. The supporting documentation "KOMPAN data\_updated emissions factors\_2025\_V2" and "Emissions factors, EPD's and ecoinvent 3.11\_2025" was also reviewed and approved.

### Declaration

The verification has been completed as a critical review with a limited assurance. I hereby confirm that nothing has come to the reviewer's attention which would lead to conclude that the study does not give an accurate depiction or isn't completed following method of the CO<sub>2</sub>e calculation, the requirements of ISO 14067:2018, and 14071:2024, in the above referenced documentation.

**Note:** This verification only covers calculation elements according to method described in ISO 14067:2018 and may not be seen as a Life Cycle Assessment according to ISO 14067:2018.

Ref.: Kompan\_Verification report 2025, 28-10-2025  
Date of certificate: 29-10-2025  
Expire date: 29-10-2027

Verified by: Julie Marie Vejsgaard Larsen, Environmental Auditor

Signature: 



| Cradle to Gate A1-A3 | Total CO <sub>2</sub> emission | CO <sub>2</sub> e/kg    | Recycled material |
|----------------------|--------------------------------|-------------------------|-------------------|
|                      | kg CO <sub>2</sub> e           | kg CO <sub>2</sub> e/kg | %                 |
| PBI500201-0001       | 6,389.65                       | 4.78                    | 18.10             |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))


# PlayBox™, Indoor, XL48

PBI500201




\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



PBI500201  
\*100cm  
\*\*486cm



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)