


Manhattan Mega Deck

PCX3001

KOMPAN
Let's play



Item no. PCX300100-0602	
General Product Information	
Dimensions LxWxH	26'6"x25'9"x11'9"
Age group	2 - 5
Play capacity (users)	48
Color options	● ● ●




Here comes the ultimate play experience for preschoolers! The Manhattan Mega Deck delivers maximum play value with its maze of play activities, supporting children's development cognitively, socially, and of course physically. The desk, mailbox, and flower panel are nice frames for dramatic play, supporting storytelling and language skills. The panel with

faces supports emotional development, whereas the geometric shapes and numbers support educational learning and encourage children to learn about the world around them. Muscle strength is trained when climbing up the bars or the curly climber. Crawling through the tunnel supports cross-coordination, while jumping down the balance beam is important in

terms of building strong bones. Sliding and swaying in the hammock stimulate balance.

Manhattan Mega Deck

PCX3001



Wide slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. **Social-Emotional:** invites socializing, supports parent-child and peer-to-peer play. **Cognitive:** young children develop their understanding of space, speed and distances when sliding down quickly.



Rock climber

Physical: supports cross coordination and leg, arm and hand strength. **Social-Emotional:** the incline makes climbing feel safer, especially for younger children.



Hammock

Physical: coordination and sense of balance when swaying. **Social-Emotional:** meeting, pushing friends gently back and forth, turn-taking. **Cognitive:** for toddlers cause and effect understanding.



Mailbox panel

Social-Emotional: spurs group play and conversations with its dual-sidedness. **Cognitive:** suggests a theme and supports dramatic play, which stimulates language and communication skills.



Curly climber

Physical: coordination and proprioception are supported when placing arms and legs correctly for going down. Sense of balance when rotating. Arm muscles for holding tight. **Social-Emotional:** empathy stimulated by turn-taking. **Cognitive:** logical thinking when placing arms and legs right for rotating downward.



Talk tube

Social-Emotional: encourages communication and social interaction. **Cognitive:** evokes curiosity and stimulates an understanding of cause and effect and object permanence: objects and people still exist when out of sight.



Tunnel

Physical: the children crawl through the tunnel, developing motor skills such as cross-body coordination and proprioception. **Social-Emotional:** turn-taking when passing each other.

Manhattan Mega Deck


PCX3001




All steel components are made of high quality materials. The posts have an alloy with improved tensile and yield strength according to the NYCP material specification. The painted aluminum post caps are riveted to the top of the post.



All panels and one-piece welded steel grids are made of low carbon steel and corrosion treated by hot dip galvanization or metallization with a minimum thickness according to NYCP material specification.




All decks are made of perforated low carbon steel plates supported by aluminum profiles with no unsupported area larger than four square feet. After metallization the decks are coated with a polyurea non-slip surface which provides extremely good wear and tear resistance.



The stainless steel activities are made of high quality stainless steel. The steel is glass blasted after manufacturing to ensure a smooth gliding surface.



Climbing Grips are a KOMPAN customized design, based on professionally designed climbing grips for optimal play value. The base material is polyester.



The products are designed in three different standard color combinations: Red and light blue, Light blue and lime green, Green and lime green. The layouts of the play structures can be customized through the KOMPAN Variant Team.

Item no. PCX300100-0602

Installation Information

Max. fall height	6'8"
Safety surfacing area	1057ft ²
Total installation time	48.1
Excavation volume	0.98yd ³
Concrete volume	0.1yd ³
Footing depth (standard)	2'0"
Shipment weight	4881lbs
Anchoring options	In-ground ✓

Warranty Information

HPL decks	15 Years
Painted steel panels	10 Years
Post	10 Years
Ropes & nets	10 Years
Spare Parts Availability	10 Years

Elevated activities 11	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	11	4	3
Required	6	4	3

**ASTM
F1487**
compliant

Sustainability Data

PCX3001



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
PCX300100-0602	5,957.50	3.47	47.00

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Play systems



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000





Manhattan Mega Deck

PCX3001

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)