# **Crazy Hen**

M101



Item no. M10170-01P		
General Product Information		
Dimensions LxWxH	36x94x77 cm	
Age group	1+	
Play capacity (users)	1	
Colour options		



The Crazy Hen was a token for play for 50 years: the whimsical bird-look evokes children's curiosity. The rocking sensation makes them want to come back again and again. Movement response is one of the greatest play sensations there are. Apart from the fun, this adds a feeling of control to the child's play. The responsive movement also trains the understanding of cause and effect in young children: that actions have an effect on the world. Rocking on the Crazy Hen trains the child's sense of balance and space as well as hand and arm muscles when holding tight and pushing your feet hard into the foot support. All of these basic motor skills and muscle training actions help train the child's bodily cognition, supporting important life skills.





# **Crazy Hen**

M101





Theme Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.





### Handhold Physical: opens more hold positions and ensures good grip, necessary for rocking intensely which trains hand and arm muscles.



Foot support

**Physical:** the footrest supports intensive rocking, simulating the senses of balance and space and supports coordination and muscle strength.




### Rocking spring

Physical: response to movements adds to spatial awareness and sense of balance which are fundamental motor skills. Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.

## **Crazy Hen**

M101





The springs are fixed by unique anti-pinch fittings for maximum safety and longevity.



KOMPAN's springs are manufactured from highquality spring steel. The springs are cleaned by phosphating before being painted with epoxy primer and polyester powder coating. The springs are fixed by unique anti-pinch fittings for maximum safety and longevity.



Handles and footrests are made of high-quality nylon (PA6), which requires low maintenance.

ltem no. M10170-01P			
Installation Information			
Max. fall height	6	0 cm	
Safety surfacing area	7	.4 m²	
Total installation time		2.3	
Excavation volume	0.19 m³		
Concrete volume	0.00 m³		
Footing depth (standard)	4	5 cm	
Shipment weight	3	30 kg	
Anchoring options	In-ground	~	
	Surface	~	
Warranty Information			
EcoCore HDPE	Lifetime		
Handle	10 years		
Spare Parts Guarantee	10 years		
Springs	5 y	/ears	



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with the lowest possible CO2e emission factor such as EcoCoreTM panels of 100% post consumer recycled ocean waste.



### **Sustainability Data**

Cradle to Gate A1-A3

M10170-01P

M101



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO<sub>2</sub> calculation of: Freestanding play equipment



#### Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

63.52

CO2e/kg

kg CO<sub>2</sub>e/kg

2.38

Recycled

materials

%

48.28




M101



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



M10176 \*60cm \*\*77cm \*\*\*7.4m<sup>2</sup>



M10176P

Click to see TOP VIEW

5 / 05/23/2024