
Double Tower with Spider Net ADA



NRO2009



| Item no. NRO2009-1021 | | | | |
|-----------------------------|----------------|--|--|--|
| General Product Information | | | | |
| Dimensions LxWxH | 822x679x417 cm | | | |
| Age group | 4+ | | | |
| Play capacity (users) | 27 | | | |
| Color options | | | | |



The Double Tower with Spider Net is an irresistible play attraction for children. With its varied play corners and diverse physical play activities it attracts children again and again, for a long time. The spider web net trains the children's cross-coordination, balance and spatial awareness with its inclined net rungs. All these motor skills are crucial when e.g.

managing traffic safely. The balance beam and fireman's pole both appeal to dare-devils with their stomach-tickling height and speed. These play events train the balance and sense of space. Furthermore, the fireman's pole activity, jumping down, train children's bone density. This is particularly important as children grow muscle mass primarily in their early years. The accessible stairway leads users with a range of abilities up to the slide. Going down, users are lopped back to the stair entrance, which is also a meeting place.



Double Tower with Spider Net ADA



NRO2009



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).

KOMPAN

The paint used for coloured components is water based environmental friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



The Robinia products are designed with a KOMPAN colour concept with a number of different standard colours. The wood can also be supplied as untreated or with brown painted with a pigment that maintains the wood colour.

| Item no. NRO2009-1021 | | | | |
|--------------------------|-----------|------|--|--|
| Installation Information | | | | |
| Max. fall height | 209 | cm | | |
| Safety surfacing area | 68.0 |) m² | | |
| Total installation time | 3 | 36.4 | | |
| Excavation volume | 2.29 |) m³ | | |
| Concrete volume | 0.32 | 2 m³ | | |
| Footing depth (standard) | 100 | cm | | |
| Shipment weight | 1,84 | 1 kg | | |
| Anchoring options | In-ground | ~ | | |
| | | | | |



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



The hardware is made of stainless steel or galvanised steel to ensure durable connections with a high corrosion resistance.



Sustainability Data

NRO2009



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO₂e/kg | Recycled materials |
|----------------------|--------------------------------|------------|--------------------|
| | kg CO₂e | kg CO₂e/kg | % |
| NRO2009-1021 | 938.10 | 0.65 | 7.30 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



Data is subject to change without prior notice.

Double Tower with Spider Net ADA

NRO2009

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height

