
NRC100401






Wow, we can play that together! The fun play activities attract all children to come play, repeatedly. The spacious, low steps to the slide offer open, ground-level based access. This enables all children to socialize or access the play tower. The accessible stairway and the net with big mesh each offer their play motivation, and the net is a nice place to climb or hang.

Looping the accesses and the slide is not only great fun. It also trains children's balance and cross-coordination. These motor skills are fundamental for movement stability, and they influence children's physical and social-emotional development: training muscles when climbing, balance when sliding, and gaining confidence in daring and succeeding.







NRC100401











#### Crawl-through hole

Physical: the hole allows for crawling through, developing cross-coordination, proprioception and spatial awareness. Social-Emotional: cooperation and turn-taking when negotiating who goes first through the hole. Cognitive: understanding space, shape and measures when seeing if the body fits through









#### Climbing net

Physical: children develop cross-body coordination and muscle strength when climbing. The big mesh supports proprioception and spatial awareness. Social-Emotional: the big meshes allow for more children to sit together and talk.







### Supportive handholds

Physical: handhold provides good grip for less confident climbers. Trains upper body muscles. Social-Emotional: allows for a range of physical abilities to enter independently and securely, play for all.









Physical: develops spatial awareness, sense of balance and trains core muscles when sitting upright going down. Social-Emotional: invites socialising, supports parent-child and peer-to-peer play. Cognitive: young children train their understanding of space, speed and distances when sliding down.

NRC100401



In-ground



All organic Robinia products by KOMPAN are made of Robinia wood which is sourced from sustainable plantation farms. On request it can be supplied as FSC® Certified (FSC® C004450).



Transparent brown pigmented and colored parts, are coated with water-based paint and pigment that is environmentally friendly and with excellent UV resistance. The paint and pigment is in compliance with EN 71 Part 3.



The products are preassembled from the factory to ensure all safety requirements are considered. Please note that each Robinia fantasy structure will have its own unique appearance because of the natural shape of the individual wood posts.



Installation Information

Item no. NRC100401-1021

Max. fall height 122 cm Safety surfacing area 46.1 m<sup>2</sup> Total installation time 31.0 Excavation volume 3.01 m<sup>3</sup> Concrete volume 2.00 m<sup>3</sup> Footing depth (standard) 100 cm Shipment weight 1,740 kg

Warranty Information		
Corocord (Hercules) Rope	10 years	
Hollow PE parts	10 years	
Robinia Wood	15 years	
Spare Parts Guarantee	10 years	
Stainless Steel Components	Lifetime	



There are multiple footing options for all products: Surface anchoring with steel footings and expansion bolts, or wood in-ground or steel in-ground footings.



Activities are made of high-quality stainless steel which is cleaned by a total pickling process after manufacturing to ensure a smooth and clean gliding surface.



The slides can be chosen in six different colors and three materials: Straight or curved onepiece molded PE slides, made from 33% recycled post-consumer materials in different colours. Combined EcoCore™ sides and stainless-steel. Full stainless steel in one piece design for more vandalism proof solutions.



Anchoring options

# **Sustainability Data**

NRC100401





Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRC100401-1021	373.84	0.25	2.78

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

made

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





NRC100401



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW