M165



Item no. M16501-01P		
General Product Information		
Dimensions LxWxH	40x65x81 cm	
Age group	1+	
Play capacity (users)	1	
Colour options	$\bullet$	









Traveling in the jungle means making friends with the locals and in spite of its grim look the Gorilla is friendly and invites to an enjoyable ride on its back. From the safe position between the two side panels the child can experiment with balance and movement.





Theme Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.





### Rocking spring

Physical: response to movements adds to spatial awareness and sense of balance. These are fundamental motor skills that help the child's ability to sit still on a chair which takes a good sense of balance. Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.



Handhold Physical: the vertical handgrips ensure a firm grip at different heights, necessary for rocking intensely. This trains hand and arm muscles.



Foot support Physical: the possibility of footrest supports intensive rocking. Rocking stimulates the senses of balance and space that are fundamental in managing the world securely.









Panels of 19mm EcoCore<sup>™</sup>. EcoCore<sup>™</sup> is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.

KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.

Item no. M16501-01P		
Installation Information		
Max. fall height	6	0 cm
Safety surfacing area	7.5 m²	
Total installation time	1.4	
Excavation volume	0.19 m³	
Concrete volume	0.00 m³	
Footing depth (standard)	45 cm	
Shipment weight	41 kg	
Anchoring options	In-ground 🗸	
	Surface	~
Warranty Information		
EcoCore HDPE	Lifetime	
Hot dip galvanised steel	Lifetime	
Spare parts guaranteed	10 years	
Springs	5 years	



Handle is made of polypropylene PP with excellent impact strength and usable within a large temperature span.



Seat is made of Ekogrip<sup>™</sup> panel that consist of a 15mm thick PE base with 3 mm top-layer of soft rubber with a non-skid effect.



## **Sustainability Data**

M165

~
KOMPAN
Let's play

Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Freestanding play equipment



### Data version no. 2023-10-05

The CO, calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk

By Bureau Veritas HSE +45 7731 1000


**Total CO2** Recycled Cradle to Gate A1-A3 CO2e/kg emission materials % kg CO<sub>2</sub>e kg CO<sub>2</sub>e/kg M16501-01P 78.18 2.12 57.16

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))




\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



M16501P \*60cm \*\*81cm \*\*\*7.5m<sup>2</sup>



M16501P

Click to see TOP VIEW



