
Triple Tower with Track

PCM310431



KOMPAN Let's play

Item no. PCM310431-0951			
General Product Information			
Dimensions LxWxH	34'7"x29'0"x13'5"		
Age group	5 - 12		
Play capacity (users)	28		
Color options	$\bullet \bullet \bullet \bullet \bullet \bullet \bullet \bullet$		



The Triple Tower with Track is full of great fun. The track ride is a great play item that responds to the children's movement and urges for thrill. It will attract children again and again with its multiple play activities, accessible stairway, Aztec climber, and plank bridge. These will help train children's crosscoordination, which is important for the ability to e.g. read. Climbing also trains legs and arm muscles, and the plank bridge trains balance. From the tower platform, the child can access the fabulous Turbo Challenge: hanging in hands or knees, children cooperate in getting across and spinning together. This promotes turn-taking skills and all around awareness, which is fundamental for managing the body confidently in the world. On the ground level, the children can relax on the hammock while training coordination and their sense of balance, or play tic-tac-toe, which stimulates social-emotional development when children cooperate and take turns.

Triple Tower with Track

PCM310431



Turbo challenge

Physical: upper body muscles are trained when hanging. Agility, proprioception and coordination are trained when spinning from one ring to the next. Spatial awareness and sense of balance are trained by the rotating motion. **Social-Emotional:** the sections of each of the spinners allow for more children hanging in arms or knees, cooperating. This trains empathy and turn-taking skills.







Timer

Social-Emotional: teams can each have a button to measure rounds, wins etc. The buttons support cooperation and teamwork. Cognitive: counting and registering support skills such as logical thinking and sequencing. Creative: children can leave their mark, placing the timer in different positions.

Track Ride

Physical: trains arm and core muscles. Supports improved bone density when jumping from the handholds and motor skills like agility, balance and coordination. Social-Emotional: cooperation, consideration, turntaking, risk-taking, self-confidence.



Aztec climber

Physical: cross coordination is supported when children climb the ladder. The climbing also trains leg and arm muscles. **Social-Emotional:** turn-taking and cooperation is used.



Curved slide

Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. **Social-Emotional:** empathy stimulated by turn-taking.



Accessible stairway

Physical: climbing the accessible stairway is for all and supports cross coordination as well as arm and leg muscles. For young children, walking stairs and alternating feet is developed. Social-Emotional: room for active breaks and adult helpers. An inclusive space.



Hammock

Physical: coordination and sense of balance when swaying. **Social-Emotional:** meeting, pushing friends gently back and forth, turn-taking.

Triple Tower with Track



10 Years

PCM310431




Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.

All decks are supported by uniquely designed low-carbon aluminum profiles with multiple attachment options. The grey-colored molded decks are made of 75% post-consumer ocean waste PP material with a non-skid pattern and texture surface.



Main posts with hot-dip galvanized steel footing are available in different materials: Pressure impregnated pinewood posts. Pre-galvanized inside and outside with powder-coated top finish steel posts. Lead-free aluminum with color anodized top finish. Greenline TexMade posts of 100% post-consumer recycled PE and textile waste.

Item no. PCM310431-0951					
Installation Information					
Max. fall height		6'8"			
Safety surfacing area	11	38ft²			
Total installation time		39.9			
Excavation volume	1.1	8yd³			
Concrete volume	0.	3yd³			
Footing depth (standard)		2'11"			
Shipment weight	322	7lbs			
Anchoring options	Surface	~			
	In-ground	~			
Warranty Information					
EcoCore HDPE	Life	time			
Post	10 Y	'ears			
PP Decks	10 Y	′ears			
Ropes & nets	10 Y	′ears			



Ropes are made of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester wrapping is inductively melted onto each strand to ensure excellent wear and tear resistance.



The slides can be chosen in six different colors and three materials: Straight or curved onepiece molded PE slides. Combined EcoCore ™ sides and stainless steel. Full stainless steel in a one-piece design for more vandalism-proof solutions.



KOMPAN GreenLine versions are constructed with the most environmentally friendly materials with the lowest possible CO2e emission factor. TexMade posts, EcoCoreTM panels of 100% post-consumer recycled ocean waste, and molded PP decks.

	Elevated activities 7	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
	Present	7	2	2
	Required	4	2	2

ASTM F1487 compliant

Spare Parts Availability

Sustainability Data

PCM310431




Cradle to Gate A1-A3		Total CO ₂ emission	CO₂e/kg	Recycled materials
		kg CO2e	kg CO₂e/kg	%
	PCM310431-0951	1,907.09	1.72	68.34
	PCM310431-0905	2,016.01	1.98	63.92

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark







Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Play systems" represented by item no.: PCM200321-0950.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

misi

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk +45 7731 1000

By Bureau Veritas HSE





PCM310431

* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW

5 / 12/13/2024