NRO851





Item no. NRO851-1001

#### **General Product Information**

Dimensions LxWxH

455x243x197 cm

Age group

Play capacity (users)

Colour options















The Balance Combination has a variety of balance activities. The steps on the one beam encourage jumping and balancing from one to the next. The solid beam on the next pole has an additional rope support, to cater for less confident balancing acrobats. When walking or jumping from pole to pole, children train their proprioception and sense of balance, both

skills are fundamental in confidently managing the body in its surroundings such as when navigating street traffic safely. Walking across the Balance Combination with friends also helps children to learn how to take it in turns and negotiate who is going first. These are important social-emotional skills that are basic to the ability to form friendship and relate to

peers.

NRO851





#### Rope handholds

**Physical:** provides stability in balancing. Makes possible hanging in arms, training upper body muscles. **Social-Emotional:** adds a feeling of security.









#### Steppings

Physical: children develop agility, balance and cross coordination when crawling, running or jumping from one step to another. Social-Emotional: the steps invite a seated break for socializing.



#### Balance beam

Physical: trains the sense of balance, fundamental for all other motor skills that makes it possible to navigate the world confidently and securely. Social-Emotional: turn-taking skills and negotiation when crossing each other on the beam. Room for a seated rest and exchange.

NRO851





All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Nets and ropes are made of UV-stabilised PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.



The steps are made of 21,5mm thick plywood made from alder and pine wood. Both sides are covered by 2 layers of phenolic film with anti slip net pattern. All cutting edges are sealed with paint to ensure long lifetime.

Item no. NRO851-1001					
Installation Information					
Max. fall height		0 cm			
Safety surfacing area	0.	.0 m²			
Total installation time		4.4			
Excavation volume	0.2	11 m³			
Concrete volume	0.0	00 m³			
Footing depth (standard)	10	0 cm			
Shipment weight	25	0 kg			
Anchoring options	In-ground	<b>&gt;</b>			
	Surface	~			
Warranty Information					
Robinia wood	15 y	ears			
Ropes & nets	10 y	ears/			
Spare parts guaranteed	10 years				



The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	0	0
Required	0	0	0

**Sustainability Data** 

NRO851



Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg Recycled materials	
	kg CO₂e	kg CO₂e/kg	%
NRO851-1001	32.04	0.18	1.15

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



### Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

200mm

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000







\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height

Click to see SIDE VIEW