CRP251201





Item no. CRP251201-0903


General Product Information

Dimensions LxWxH 35'3"x19'10"x10'9"

Age group 5 - 12

Play capacity (users) 30

Color options



The Javan Trail invites thrilling, responsive challenges for children. The variety of play activities makes children come back again and again for more fun. The responsive, swaying ropes call for concentrated movement, adjusting grips and rhythms of climbing. This trains the child's agility, balance and coordination. These motor skills are

fundamental for moving confidently in the world. They build the basis for e.g. concentrating on tasks and sitting still for longer periods. Apart from being great fun, the varied climbing, crawling, tight-rope walking and spinning activities train arm, leg and core muscles. The Propeller Climber provides a fun crawl-and-meet place. The Musca Spinner

exhilarates groups of children when pushed into motion. This incorporates an understanding of gravity principles. The cooperative effort supports empathy, turntaking and self-regulation; skills that help children make friends for life.




CRP251201





#### Musca spinner

Physical: balance when standing, sitting and rotating, muscles develop when holding tight. Social-Emotional: cooperation in getting the spinner to turn.





#### Propeller climber

Physical: support agility, balance and coordination when climbing through. These are important motor skills for moving your body confidently. Arm, leg and core muscles are trained when climbing through the propellers. Social-Emotional: children cooperate, turn-take and consider each other when they climb through the frames. The frames support playful socializing and meetings for groups of children.





# Vertical climbing net Physical: children develop cross-body coordination when climbing. Arm, leg and core muscles are strengthened. These are important for posture control and also sitting still. Social-Emotional: the meshes allow for

more children to sit together and talk.



#### Tightrope

Physical: children train cross-body coordination and muscle strength. The big meshes allow for climbing and crawling through, training proprioception and spatial awareness. Social-Emotional: the big meshes allow for more children to be together, sharing.



#### Coconut rope

Physical: balance and coordination is supported when walking the swaying rope. A good sense of balance transfers to other skills such as sitting still on a chair. Bone density is developed when jumping off. Social-Emotional: children swaying together on the rope experience their own and others' movements. This spurs cooperation and consideration, e.g. when passing others on the rope.



#### Zig-zag slider

Physical: muscle strength, balance and coordination when climbing up and down, holding tight.





#### Climbing wall

**Physical:** climbing here develops cross coordination, which supports cross-modal perception, necessary for other skills such as reading.

CRP251201



10 Years

10 Years


10 Years



Ropes are made of UV-stabilized PES rope strands with inner steel cable reinforcement. The polyester wrapping is inductively melted onto each strand to ensure excellent wear and tear resistance.



Corocord 'S' clamps are used as universal connections in Corocord products. 8mm stainless steel rods with rounded edges are pressed around the ropes with a special hydraulic press, making them the ideal connector: safe, durable and vandalism-proof, all while allowing the typical movement of rope play structures.



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.

Item no. CRP251201-0903					
Installation Information					
Max. fall height	7	7'10"			
Safety surfacing area	9	71ft²			
Total installation time		27.2			
Excavation volume	20.3	1yd³			
Concrete volume	11.6	8yd³			
Footing depth (standard)	:	2'11"			
Shipment weight	245	7lbs			
Anchoring options	Surface	~			
	In-ground	~			
Warranty Information					
Aluminum clamps	10 Years				
Hot dip galvanized steel	Lifetime				

Itom no CDD251201 0002



Colored steel components have a base of hot dip galvanization and a powder coated top finish. This provides an ultimate corrosion resistance in all climates around the world. Other steel surfaces are hot dip galvanized inside and outside with lead free zinc.



The Corocord Smart Clamps are carefully designed to ensure superior flexibility in high-quality aluminum material. The smart clamps are attached around the post with four steel bolts. Unused attachment points are closed with PA caps.



The PP rope in coconut style has a diameter of 150 mm. The internal steel wire core has thimbles at both ends, which serve as attachments for the rope to existing connecting elements.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1

ASTM F1487 compliant

Painted toplayer

Spare Parts Availability

Ropes & nets

**Sustainability Data** 

CRP251201



Cradle to Gate A1-A3	Total CO₂ emission	CO <sub>2</sub> e/kg Recycled materials	
	kg CO₂e	kg CO₂e/kg	%
CRP251201-0903	2,745.55	3.31	48.29

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



#### Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO<sub>2</sub> calculation of: Corocord



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Corocord" represented by item no.:  $\mathrm{COR314011}$ -1101.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Some

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000





CRP251201



\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height





Click to see TOP VIEW

Click to see SIDE VIEW