
Treehouse Slide

MSC5402



Item no. MSC540201-3417P				
General Product Information				
Dimensions LxWxH	8'0"x1'10"x4'8"			
Age group	2 - 5			
Play capacity (users)	2			
Color options				



The House Slide is a favorite playground activity that attracts children to act and play in a thrilling way. The House Slide delights children and encourages them to be brave and enthusiastic on the playground for hours of fun and active play. When children slide, they train their core muscles, sitting upright while sliding down. This stimulates their trunk stability, important for avoiding back and neck pains – a growing problem in children due to sedentary lifestyles. Sliding additionally develops the child's sense of balance and spatial understanding. These skills are important in navigating the world securely. They are the foundation of all motor skills and thus a foundation in physical confidence in the child. The house theme adds imagination to the climb and functions as a story-telling prop, supporting language development and practice.



Treehouse Slide

MSC5402



Slide Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking.





Theme Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.

KOMP

Let's play



Stairway Physical: climbing the stairs supports cross coordination as well as arm and leg muscles. Social-Emotional: room for active breaks and adult helpers.

Treehouse Slide



MSC5402



Panels of 19mm EcoCore[™]. EcoCore[™] is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.




The steel surfaces are hot-dip galvanized inside and outside with lead-free zinc. The galvanization has excellent corrosion resistance in outside environments and requires minimal maintenance.



Steps are made of HPL with a thickness of 17,8mm with a very high wearing strength and a unique KOMPAN nonskid surface texture.

Item no. MSC540201-3417P					
Installation Information					
Max. fall height		2'0"			
Safety surfacing area	2	41ft ²			
Total installation time	6.6 h	ours			
Excavation volume	0.16yd³				
Concrete volume	0.1yd³				
Footing depth (standard)	2'0"				
Shipment weight	273lbs				
Anchoring options	In-ground	~			
	Surface	~			
Warranty Information					
EcoCore HDPE	Lifetime				
Hot dip galvanized steel	Lifetime				
PE Slide	10 Y	ears			
Spare Parts Availability	10 Years				



The slide bed can be chosen in different materials: Straight molded PE or stainless steel slide bed t=2mm. Sides of the slides are made of EcoCore[™].

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



Sustainability Data

Cradle to Gate A1-A3

MSC540201-3417P

MSC5402



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

187.06

CO2e/kg

kg CO₂e/kg

2.34

Recycled

materials

%

57.06





MSC5402

* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW

5 / 05/12/2025