Swing Frame, 6 Seat, 8 ft H

KSW926





General Product Information

Dimensions LxWxH 34'9"x6'0"x8'4"

Age group 2 - 12

Play capacity (users)
Color options

KOMPAN Portal swings are a modern update on a traditional favorite, constructed from galvanized steel. They are configurable for the unique needs and requirements of every playground site. All Portal swings come standard in 7", 8" or 10" heights with posts made from hot dip galvanized steel. For swing seats, we offer as standard a rubber swing

seat, baby seat, or toddler swing seat for individual use, or the duo swing seat, birds nest, or you & me swing seat for multiple users. The seats are available with either hot dip galvanized chains or stainless steel chains with the option of antiwrap suspension. The modular swing system is also available in multibay configurations with 2, 3, 4 or more sections.



Swing Frame, 6 Seat, 8 ft H

KSW926



Item no. KSW926-0910				
Installation Information				
Total installation time	9.3			
Excavation volume	2.93yd ³			
Concrete volume	0yd³			
Footing depth (standard)	2'11"			
Shipment weight	839lbs			
Anchoring options	In-ground 🗸			
Warranty Information				
Hot dip galvanized steel	Lifetime			
Movable parts	2 Years			
Post	10 Years			
Spare Parts Availability	10 Years			



Sustainability Data

KSW926





Cradle to Gate A1-A3	Total CO₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
KSW926-0910	925.72	3.18	46.75

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000

