Swing Frame, 5 Seat, 8 ft H

KSW925



	Let's play	
Item no. KSW925-0910		
General Product Information		
Dimensions LxWxH	30'7"x6'0"x8'4"	
Age group	2 - 12	
Play capacity (users)	-	
Color options		

KOMPAN Portal swings are a modern update on a traditional favorite, constructed from galvanized steel. They are configurable for the unique needs and requirements of every playground site. All Portal swings come standard in 7", 8" or 10" heights with posts made from hot dip galvanized steel. For swing seats, we offer as standard a rubber swing seat, baby seat, or toddler swing seat for individual use, or the duo swing seat, birds nest, or you & me swing seat for multiple users. The seats are available with either hot dip galvanized chains or stainless steel chains with the option of antiwrap suspension. The modular swing system is also available in multibay configurations with 2, 3, 4 or more sections.

Swing Frame, 5 Seat, 8 ft H

KSW925



Item no. KSW925-0910			
Installation Information			
Total installation time		8.9	
Excavation volume	2.9	2.93yd ³	
Concrete volume		0yd³	
Footing depth (standard)		2'11"	
Shipment weight	8	807lbs	
Anchoring options	In-ground	n-ground 🗸 🗸	
Warranty Information			
Hot dip galvanized steel	Life	Lifetime	
Movable parts	2 Years		
Post	10 Years		
Spare Parts Availability	10 Years		



Sustainability Data

Cradle to Gate A1-A3

KSW925-0910

KSW925



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



BUREAU VERITAS

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

893.64

CO2e/kg

kg CO₂e/kg

3.19

Recycled

materials

%

46.69