NRO418





Item no. NRO418-1021

General Product Information

Dimensions LxWxH 9'4"x13'9"x7'2"

Age group 2 - 5

Play capacity (users) 18

Color options



The Little Fox's Shop has meandering, low floors and a dense, activity-packed climb and slide offering with an elevated playhouse that will attract and excite toddlers again and again. Rich tactile features greatly increase play value and support emerging dramatic play in the toddlers. The scale of the Little Fox's Shop is perfectly shaped for toddlers. The leafy crawl-through panel encourages children to crawl and explore. The window with curtain invites

social cooperation between inside and outside, supporting turn-taking and cooperation skills. This curtain also invites peek-a-boo games that support the understanding of object permanence: that things don't cease to exist when they are out of sight. These tactile activities stimulate cross-modal perception, important for improving reading skills and support cross-coordination awareness which is key to physical and cognitive development at

this age. The house with its many details and corners supports emerging dramatic play which stimulates language skills. Thrilling sliding is invited with a friendly loop between the access platform and slide mouth. The inclined climbing wall on the other side adds a different type of access and supports cross-coordination which is key to physical as well as cognitive development at this age.



NRO418









Rock climber

Physical: supports cross coordination and leg, arm and hand strength. The handholds on top ease entry into platform. Social-Emotional: the incline makes climbing feel safer, especially for younger children.











Physical: sliding develops spatial awareness and a sense of balance. Furthermore, the core muscles are trained when sitting upright going down. Social-Emotional: empathy stimulated by turn-taking. Cognitive: young children develop their understanding of space, speed and distances when sliding down quickly.















Gear wheels

Social-Emotional: cooperation skills and taking turns are developed when turning the gearing wheel. Cognitive: cause and effect understanding, and logical thinking are supported.







Supportive handholds

Physical: handhold provides good grip for less confident climbers. Pulling yourself up and in trains upper body muscles. Social-Emotional: allows for a range of physical abilities to enter independently and securely, supporting play for all.

NRO418



1'11"

404ft²

24.1

3'3"

2.29yd3 0yd3

2084lbs



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



The product/activities are preassembled from the factory to ensure all safety requirements are considered.



The paint used for colored components is water based environmental friendly with excellent UV resistance. The paint is in compliance with EN 71 Part 3.



Anchoring options	In-ground	•			
	Surface	~			
Warranty Information					
EcoCore HDPE	Life	time			
Hot dip galvanized steel	Life	time			
Robinia Wood	10 Y	'ears			
Spare Parts Availability	10 Y	'ears			
Stainless steel components	Life	time			

Item no. NRO418-1021 **Installation Information**

Max. fall height

Safety surfacing area


Total installation time

Footing depth (standard)

Excavation volume

Concrete volume

Shipment weight



Panels of 19mm EcoCore™. EcoCore™ is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of a core produced from 100% recycled material.



There are Multiple footing options for all products: Surface anchoring with steel footings and expansion bolts. Wood in-ground or steel in-ground footings.



Robinia products are available in three different wood treatment options: untreated Robinia wood or brown painted with a pigment that maintains the wood color and colored version with paint of selected components.

Elevated activities 4	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	4	1	1
Required	2	1	1

ASTM F1487 compliant

Sustainability Data

NRO418





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO418-1021	228.19	0.28	4.30

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of ${\rm CO_2}$ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000





NRO418



* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW