NRO210



Item no. NRO210-0501		
General Product Information		
Dimensions LxWxH	27x22x29 cm	
Age group	1+	
Play capacity (users)	1	
Colour options		





Ġ

Product is available as FSC® Certified (FSC® C004450) robinia wood on request.

NRO210





Pole seats Physical: balancing and jumping from one seat to the next trains balance, proprioception and builds bone density. **Social-Emotional:** sharing, listening when having a break.



NRO210



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Item no. NRO210-0501		
Installation Information		
Max. fall height		29 cm
Safety surfacing area	1	8.5 m²
Total installation time		0.9
Excavation volume	0.	.07 m³
Concrete volume	0	.00 m³
Footing depth (standard)		52 cm
Shipment weight		17 kg
Anchoring options	In-ground	~
	Surface	~
Warranty Information		
Robinia wood	15 years	
Spare parts guaranteed	10	years



Sustainability Data

Cradle to Gate A1-A3

NRO210-0501

NRO210



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

Simo

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

2.09

CO2e/kg

kg CO₂e/kg

0.16

Recycled

materials


%


0.31

NRO210

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height





Click to see TOP VIEW

Click to see SIDE VIEW

Data is subject to change without prior notice.

KOM

Let's play