

Inclusive Seat, H:2.5m, 2-Chain

SW990205



包容性秋千座椅形状吸引了各个年龄段的孩子。自然地荡起摆动、优秀的人体工程学设计以及在荡秋千时的体会到的安全感，会吸引孩子们不时地来玩耍。对于那些需要帮助或者辅助的孩子们，单手操作的安全带提供了舒适的握把和安全感。直立的荡秋千姿势使所有孩子都能与他们的照顾者进行眼神交流，并在荡秋千时欣赏周围的景色。通过照顾者从秋千座椅的前后推动孩子，

使其之间的互动充满乐趣。荡秋千时，孩子们锻炼了平衡感、肌肉、提高了注意力。但最重要的是，对于所有孩子来说，荡秋千是最受欢迎的游戏之一。参与荡秋千所获得的快乐可能是游乐场中最重要的社交情感体验。

产品编号 SW990205-0031	
产品信息概览	
长宽高尺寸	0x0x0 cm
适用年龄段	6+
容纳人数	1
颜色选择	



Inclusive Seat, H:2.5m, 2-Chain

SW990205



Inclusive Seat

身体素质：在荡秋千的过程中，平衡感、协调能力和空间意识都得到了发展。这些都是判断距离和增强方向感的必要技能。荡秋千的动作可以训练手臂、腿部和核心肌肉。**社交情感：**直立摆动的姿势可以让儿童与看护人有目光接触。**认知能力：**在荡秋千时，让幼儿理解因果关系，掌握节奏和思维技巧。



Harness

身体素质：安全带可以单手操作，可以轻松地打开和锁上。安全带的上半部分位置便于进出座位。**社交情感：**安全带有几个握把支撑，确保荡秋千时的安全性。

Inclusive Seat, H:2.5m, 2-Chain

SW990205



The inclusive swing seat made of recyclable polyethylene (PE) using 33% post consumer materials. The seat is molded in one piece and equipped with a drain hole to avoid water accumulation. The ergonomic design enables a safe and comfortable seating position.



The Harness is made of molded recyclable polyethylene (PE) made from 33% post consumer materials. The harness utilizes a stainless-steel torsion spring which makes the harness stay in in all position to secure easier entry and exit of users. the harness lock is designed with a one-handed operation slider made from stainless steel.



The front bumper is made with a core of strong polypropylene (PP) with a softer outer layer of thermoplastic rubber (TPE) and the rear bumper of 8mm thick EPDM membrane. The soft, shock absorbent bumpers with nonslip surface makes the swing seat extremely safe to use by caretakers.



The seats are available with chains made of either Ø6 hot dip galvanized steel with a surface treatment according to ISO1461 or with Ø6 high-quality stainless-steel chains. Furthermore, the swing seat is available with the unique KOMPAN self-starter function with four chains yolk suspension.



The KOMPAN Inclusive swing seat is available in six different color combinations to ensure it fits into any playground color style. The seats fit all KOMPAN swings with steel crossbeam in height 2,5m and 3,0m.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCore™ molded PE parts of 33% post-consumer recycled ocean waste.

产品编号 SW990205-0031	
安装信息	
最大跌落高度	0 cm
安全面积	0.0 m²
安装总时长	0.4
开挖量	0.00 m³
混凝土使用量	0.00 m³
标准入地深度	0 cm
运输重量	31 kg
固定选项	
质保信息	
链条	10 年
中空 PE 聚乙烯部件	10 年
活动部件	2 年
PE/PP 部件	5 年
承保零部件	10 年

**EN
1176**
compliant

Sustainability Data

SW990205



从原材料到成品	CO ₂ 排放总量	CO ₂ 排放量 / 千克	回收的原料
	kg CO ₂ e	kg CO ₂ e/kg	%
SW990205-0031	68.00	2.56	29.00

这些因素采用的总体框架为环保产品声明 (EPD)，该声明可量化“产品生命周期的环保信息，并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时，对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。

Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000



Inclusive Seat, H:2.5m, 2-Chain

SW990205

最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度

[点击查看俯视图](#)

[点击查看侧面图](#)