
SW990205





使其之间的互动充满乐趣。荡秋千时,孩子们锻炼了平衡感、肌肉、提高了注意力。但最重要的是,对于所有孩子来说,荡秋千是最受欢迎的游戏之一。参与荡秋千所获得的快乐可能是游乐场中最重要的社交情感体验。



	产品编号 SW990205-0107	
	产品信息概览	
长宽高尺寸		0x0x0 cm
适用年龄段 容纳人数		6+ 1
颜色选择		













SW990205















Inclusive Seat

身体素质: 在荡秋干的过程中, 平衡感、协调 能力和空间意识都得到了发展。这些都是判断 距离和增强方向感的必要技能。荡秋干的动作可以训练手臂、腿部和核心肌肉。 **社交情感**: 直立摆动的姿势可以让儿童与看护人有目光接 触。 认知能力: 在荡秋千时, 让幼儿理解因果 关系,掌握节奏和思维技巧。







身体素质:安全带可以单手操作,可以轻松地 打开和锁上。安全带的上半部分位置便于进出 座位。 社交情感:安全带有几个握把支撑,确 保荡秋千时的安全性。

2 / 07/18/2024 数据如有更新,恕不另行通知。

SW990205





The inclusive swing seat made of recyclable polyethylene (PE) using 33% post consumer materials. The seat is molded in one piece and equipped with a drain hole to avoid water accumulation. The ergonomic design enables a safe and comfortable seating position.



The Harness is made of molded recyclable polyethylene (PE) made from 33% post consumer materials. The harness utilizes a stainless-steel torsion spring which makes the harness stay in in all position to secure easier entry and exit of users. the harness lock is designed with a one-handed operation slider made from stainless steel.



The front bumper is made with a core of strong polypropylene (PP) with a softer outer layer of thermoplastic rubber (TPE) and the rear bumper of 8mm thick EPDM membrane. The soft, shock absorbent bumpers with nonslip surface makes the swing seat extremely safe to use by caretakers.



厂的编号 300990203-010	37		
安装信息			
最大跌落高度	0 cm		
安全面积	0.0 m ²		
安装总时长	0.4		
开挖量	0.00 m³		
混凝土使用量	0.00 m³		
标准入地深度	0 cm		
运输重量	31 kg		
固定选项			

立口护只 SW000205 0107

质保信息			
链条	10 年		
中空 PE 聚乙烯部件	10 年		
活动部件	2 年		
PE/PP 部件	5 年		
承保零部件	10 年		



The seats are available with chains made of either Ø6 hot dip galvanized steel with a surface treatment according to ISO1461 or with Ø6 highquality stainless-steel chains. Furthermore, the swing seat is available with the unique KOMPAN self-starter function with four chains yolk suspension.



The KOMPAN Inclusive swing seat is available in six different color combinations to ensure it fits into any playground color style. The seats fit all KOMPAN swings with steel crossbeam in height 2,5m and 3,0m.



KOMPAN GreenLine versions are designed with ultimate environmentally friendly materials with lowest possible CO2e emission factor such as EcoCore™ molded PE parts of 33% postconsumer recycled ocean waste.

3 / 07/18/2024 数据如有更新,恕不另行通知。

Sustainability Data

SW990205





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:



Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000



这些因素采用的总体框架为环保产品声明(EPD),该声明可量化"产品生命周期的环保信息,并对相同功能的产品进行对比"(ISO, 2006)。在遵循该框架的同时,对从原材料到制造的整个产品阶段(A1-A3)应用生命周期评估法。

SW990205



最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度

点击查看俯视图