# **Spring Board**

NRO104



| Item no. NRO104-0402        |             |  |
|-----------------------------|-------------|--|
| General Product Information |             |  |
| Dimensions LxWxH            | 92x85x46 cm |  |
| Age group                   | 3+          |  |
| Play capacity (users)       | 3           |  |
| Color options               |             |  |



The Spring Board is a lovely, inviting platform for rocking. Children will be attracted to it again and again, thanks to its fun, rocking movement and, not least, social potential: the platform allows more body positions. Lying, sitting, standing, even jumping. All have a chance to play together, in equal and unequal numbers. The social potential in that is immense. Children will cooperate, turn-take and show consideration on others to make the fun, rocking movement of the Spring Board continue. The rocking movement trains the senses of balance and space. These are both crucial for body confidence, e.g. in avoiding falling. A well-developed sense of balance is fundamental for the ability to sit still and concentrate. When standing on the platform, children will jump, building bone density for life when doing so, having fun.



## **Spring Board**

NRO104







#### Seat

**Social-Emotional:** the seat is big enough for more children and makes a nice meeting point. Sitting closely together with friends is good for children's social skills and well-being.



#### Rocking spring

Physical: response to movements adds to spatial awareness and sense of balance. These are fundamental motor skills that help the child's ability to sit still on a chair which takes a good sense of balance. Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.

## **Spring Board**







All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450). KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum safety and long lifetime.

The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

100

3

| Item no. NRO104-0402     |           |      |
|--------------------------|-----------|------|
| Installation Information |           |      |
| Max. fall height         | 60        | ) cm |
| Safety surfacing area    | 11.       | 6 m² |
| Total installation time  |           | 2.9  |
| Excavation volume        | 0.7       | 7 m³ |
| Concrete volume          | 0.00 m³   |      |
| Footing depth (standard) | 45 cm     |      |
| Shipment weight          | 137 kg    |      |
| Anchoring options        | In-ground | ~    |
|                          | Surface   | ~    |
|                          |           |      |



### **Sustainability Data**

Cradle to Gate A1-A3

NRO104-0402

NRO104



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO, calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

### mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

163.74

CO2e/kg

kg CO<sub>2</sub>e/kg

1.46

Recycled


materials

%

24.48




NRO104



KOMPAN Let's play

\* Max fall height | \*\* Total height







Click to see TOP VIEW

Click to see SIDE VIEW

5 / 07/10/2024