Agora Picnic - Red HPL

PAR4074





Item no. PAR4074-0001

General Product Information

Dimensions LxWxH


200x167x76 cm

Age group

Play capacity (users)

Colour options





anchoring, color and material options in order to inspirit architectural creativity and to fit the site specific requirements for individual customer projects. AGORA comes in durable and robust design, and is manufactured with low maintenance materials to ensure long lasting outdoor solutions with the lowest possible total cost of ownership.



Agora Picnic - Red HPL

PAR4074



15 years

10 years

10 years

Lifetime



All boards are made of High Pressure Laminate HPL with a thickness of 17.8mm according to EN 438-6 and has a nonskid surface texture. The multilayer construction makes the boards durable and suitable for outdoor use with a high UV stability and high resistance to impacts, scratches, fire, water and humidity.



The steel surfaces are hot dip galvanized inside and outside with lead free zinc. The galvanization has excellent corrosion resistance in outdoor environments and require low maintenance. Painted steel parts are hot dip galvanized before powder coating.



Powder coated top finish on top of galvanisation is processed in two steps: Light grinding and clean sweeping, powder coating - thickness 70-120 µm.

110111110:171111071 0001			
Installation Information			
Total installation time		2.3	
Excavation volume	(0.00 m³	
Concrete volume	(0.00 m³	
Footing depth (standard)		0 cm	
Shipment weight		180 kg	
Anchoring options	Surface	~	
	In-ground	'	
Warranty Information			
Hot dip galvanised steel	L	ifetime	

HPL


Painted toplayer

Stainless steel

components

Spare parts guaranteed

Item no. PAR4074-0001



The Agora picnic tables are available in 5 different HPL colors for the boards and further 9 different steel colors.



The furniture is a freestanding product with optional anchoring possibilities. Kompan has multiple anchoring's to fit specific requirements for individual customer projects. The anchoring is sold as separate modules.



The standard available benches and tables can be dressed up with back support, armrests, tables etc. and linked together into tailored solutions for the individual location.

Sustainability Data

PAR4074






C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Park



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:


mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO_2 calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023





Cradle to Gate A1-A3	Total CO ₂ emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
PAR4074-0001	307.22	2.39	22.88

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))