Spring Board

NRO104



Item no. NRO104-0402			
General Product Information			
Dimensions LxWxH	92x85x46 cm		
Age group	2 - 12		
Play capacity (users)	3		
Colour options			





The Spring Board is a lovely, inviting platform for rocking. Children will be attracted to it again and again, thanks to its fun, rocking movement and, not least, social potential: the platform allows more body positions. Lying, sitting, standing, even jumping. All have a chance to play together, in equal and unequal numbers. The social potential in that is immense. Children will cooperate, turn-take and show consideration on others to make the fun, rocking movement of the Spring Board continue. The rocking movement trains the senses of balance and space. These are both crucial for body confidence, e.g. in avoiding falling. A well-developed sense of balance is fundamental for the ability to sit still and concentrate. When standing on the platform, children will jump, building bone density for life when doing so, having fun.

Spring Board

NRO104







Seat

Social-Emotional: the seat is big enough for more children and makes a nice meeting point. Sitting closely together with friends is good for children's social skills and well-being.



Rocking spring

Physical: response to movements adds to spatial awareness and sense of balance. These are fundamental motor skills that help the child's ability to sit still on a chair which takes a good sense of balance. Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.

Spring Board

All Organic Robinia products by KOMPAN are

supplied as FSC® Certified (FSC® C004450).

made of Robinia wood from sustainable

European sources. On request it can be







safety and long lifetime.



painted with an epoxy primer and a polyester powder coating as top finish. The springs are fixed by unique anti pinch fittings for maximum

KOMPAN Springs are made of high quality spring steel according to EN10270. The springs are cleaned by phosphating before they are

300

The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.

3

Item no. NRO104-0402				
Installation Information				
Max. fall height	4	6 cm		
Safety surfacing area	15.	8 m²		
Total installation time		2.9		
Excavation volume	0.7	7 m³		
Concrete volume	0.00 m³			
Footing depth (standard)	45 cm			
Shipment weight	13	37 kg		
Anchoring options	In-ground	~		
	Surface	~		
Warranty Information				
Hot dip galvanised steel	Lifetime			
Robinia wood	15 years			
Spare parts guaranteed	10 years			
Springs	5 years			

KON

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



3 / 07/10/2024

Sustainability Data

Cradle to Gate A1-A3

NRO104-0402

NRO104



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NR0409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

163.74

CO2e/kg

kg CO₂e/kg

1.46

Recycled


materials

%


24.48




NRO104



* Max fall height | ** Total height





NR0104

Click to see TOP VIEW



