


# Agora Picnic Mini Blue HPL Bench table Set

PAR4085

**KOMPAN**  
Let's play



Item no. PAR4085-0001	
<b>General Product Information</b>	
Dimensions LxWxH	134x105x57 cm
Age group	-
Play capacity (users)	-
Colour options	



AGORA PICNIC MINI is a part of the awarded furniture line from KOMPAN. AGORA offers a high level of flexibility when it comes to anchoring, colour and material options to stimulate architectural creativity and to fit the site-specific requirements for individual customer projects. AGORA comes in a durable and robust design and is manufactured in low

maintenance materials to ensure long-lasting outdoor solutions with the lowest possible total cost of ownership.



# Agora Picnic Mini Blue HPL Bench table Set

PAR4085



All boards are made of High Pressure Laminate HPL with a thickness of 17.8mm according to EN 438-6 and has a nonskid surface texture. The multilayer construction makes the boards durable and suitable for outdoor use with a high UV stability and high resistance to impacts, scratches, fire, water and humidity.



Steel internal surfaces are hot-dip galvanised, and the outside surfaces are lead and zinc free. Galvanisation has excellent corrosion resistance within outdoor environments and requires very little maintenance. Painted steel parts are hot-dip galvanised and then powder coated.




Galvanisation is manufactured with a two-step process which includes light grinding and clean sweeping, which is then finished with a top powder coating to 70-120 µm thickness.



The Agora picnic tables are available in 5 different HPL colors for the boards and further 9 different steel colors.



The furniture is a freestanding product with optional anchoring possibilities. Kompan has multiple anchoring's to fit specific requirements for individual customer projects. The anchoring is sold as separate modules.



The standard available benches and tables can be customised up with back support, armrests, tables to create unique solutions for your project needs and locations.

Item no. PAR4085-0001

### Installation Information


Total installation time	1.5
Excavation volume	0.00 m <sup>3</sup>
Concrete volume	0.00 m <sup>3</sup>
Footing depth (standard)	0 cm
Shipment weight	72 kg
Anchoring options	Surface ✓ In-ground ✓

### Warranty Information

Galvanised Steel	Lifetime
HPL	15 years
Painted Toplayer	10 years
Spare Parts Guarantee	10 years
Stainless Steel Components	Lifetime

# Sustainability Data

PAR4085




Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO <sub>2</sub> e/kg	Recycled materials
	kg CO <sub>2</sub> e	kg CO <sub>2</sub> e/kg	%
PAR4085-0001	150.92	2.40	23.80

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Kompan A/S**  
 C.F. Tietgens Boulevard 32C  
 DK-5220 Odense SØ  
 Denmark



## Verification of CO<sub>2</sub> calculation of: Park



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Park" represented by item no.: PAR4070-0001.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

**Date: 30. October 2023 | Valid until: 30. October 2025**

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

**Publication date: 30. October 2023**

By Bureau Veritas HSE  
 www.bureauveritas.dk  
 +45 7731 1000

