


Agility Trail 7


NRO866



Item no. NRO866-1001

General Product Information

| | |
|-----------------------|---|
| Dimensions LxWxH | 1658x556x260 cm |
| Age group | 6+ |
| Play capacity (users) | 34 |
| Color options |   |



The enormous Agility Trail 7 is a challenge that children of all ages and of many abilities will want to take on. Children will want to return again and again to try it out, perhaps with the whole family. The rich variety of balancing, swaying, climb-and-crawl activities are great trainers of the sense of balance. The sense of balance is necessary in managing many areas

of life necessary for learning, e.g. concentrating and even being able to sit still. When doing loops of Agility Trail 7 while playing the 'don't-touch-the-ground' game, children also train important social-emotional skills such as turn-taking, consideration of others and cooperation. The variety of activities and the rounded layout is what makes the Agility Trail 7

a desirable trainer of fundamental physical and social-emotional life skills.



Data is subject to change without prior notice.

Agility Trail 7

NRO866



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Overhead climbing handles are made of high quality stainless steel. The handles are attached to the upper robinia crossbeam by stainless steel hardware.



Climbing panel of 19mm EcoCore™. EcoCore™ is a highly durable, eco-friendly material, which is not only recyclable after use, but is also made of +95% recycled post-consumer material from e.g., food packing waste in both core and colorful outer layer.

| Item no. NRO866-1001 | |
|--------------------------|----------------------|
| Installation Information | |
| Max. fall height | 58 cm |
| Safety surfacing area | 109.1 m ² |
| Total installation time | 38.2 |
| Excavation volume | 3.18 m ³ |
| Concrete volume | 1.11 m ³ |
| Footing depth (standard) | 100 cm |
| Shipment weight | 1,866 kg |
| Anchoring options | In-ground ✓ |



The hardware is made of stainless steel or galvanised steel to ensure durable connections with a high corrosion resistance.




The Robinia wood can be supplied as untreated raw wood or painted with a brown coloured transparent pigment that maintains the golden wood colour of the wood.



Sustainability Data


NRO866



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| NRO866-1001 | 431.20 | 0.26 | 3.00 |

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
 C.F. Tietgens Boulevard 32C
 DK-5220 Odense SØ
 Denmark



Verification of CO₂ calculation of: Nature play



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
 www.bureauveritas.dk
 +45 7731 1000





Agility Trail 7

NRO866

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)