
Sunflower

M951



Item no. M95172-3717P		
General Product Information		
Dimensions LxWxH	125x37x137 cm	
Age group	1+	
Play capacity (users)	1	
Colour options		





movement starts and trains the child's motor skills, specifically the sense of balance and space. Furthermore, the understanding of cause and effect has a great impact on the thinking and cognitive skills of the child. The emotional value of being able to manage independently is priceless for toddlers and stimulates their self esteem and widens their physical comfort zone. Parents, older siblings and friends can easily join the fun.





Data is subject to change without prior notice.

Sunflower

M951







Turnable daisies Cognitive: sense of wonder and the understanding of cause and effect when manipulating something to turn.



Low, rubber swing seat

Physical: support for pushing with feet, developing leg muscles and sense of balance, coordination, as well as spatial awareness. Social-Emotional: self-confidence is fostered from being able to do it yourself. Cognitive: understanding of cause and effect.

Sunflower

M951





The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



The standard seats of KOMPAN swings is engineered for maximum safety and durability. The seat is made of PUR very durable material.



Swing suspensions are made of polyamide and consist of double ball bearing system with swivel.

Item no. M95172-3717P			
Installation Information			
Max. fall height	8	0 cm	
Safety surfacing area	8.	4 m²	
Total installation time	3.3		
Excavation volume	0.45 m³		
Concrete volume	0.25 m³		
Footing depth (standard)	90 cm		
Shipment weight	50 kg		
Anchoring options	In-ground 🗸		
	Surface	~	
Warranty Information			
Hot dip galvanised steel	Lifetime		
Movable parts	2 years		
Spare parts guaranteed	10 years		
Swing hangers	5 years		
Swing seat	10 years		



Turnable daisies are made of 19mm EcoCore[™] HDPE which is a highly durable, eco-friendly material, which is not only recyclable after use, but is also made of +95% recycled postconsumer material from e.g., food packing waste in both core and colorful outer layer.



The steel pipes are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



Sustainability Data

Cradle to Gate A1-A3

M95172-3717P


M951



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Themed play systems



Data version no. 2023-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

130.68

CO2e/kg

kg CO₂e/kg

2.79

Recycled


materials

%

47.53







Click to see SIDE VIEW

Click to see TOP VIEW

 (\mathbf{e})

**137