3-Seat Steel Frame H:2.5m

KSW923





Item no. KSW923-0910		
General Product Information		
Dimensions LxWxH	528x184x255 cm	
Age group	2+	
Play capacity (users)	-	
Colour options		

Of all the play activities, swinging is a definite favorite: children love it, as it can be done both individually and together. This swing set supports the play joy of doing the same thing at the same time, featuring two similar swing seats. The seats are shaped with a slight curve in the middle, to facilitate the secure seat position of a wide age span. A great place to play, for all ages, for hours and days. Swinging apart from being great fun, trains the children's ABC: agility, balance and coordination as well as their spatial awareness. These motor skills are crucial to being able to judge distances and navigate, traffic safely. Swings allows for standing sitting, laying – and not least jumping off. Apart from the motor skills training, this trains the arm, leg and core muscles. The jumping off builds bone density – the majority of which is built up during the first years of life.



3-Seat Steel Frame H:2.5m

KSW923



Item no. KSW923-0910		
Installation Information		
Total installation time	6.6	
Excavation volume	1.68 m³	
Concrete volume	0.00 m³	
Footing depth (standard)	90 cm	
Shipment weight	280 kg	
Anchoring options	In-ground 🗸	
Warranty Information		
Hot dip galvanised steel	Lifetime	
Movable parts	2 years	
Post	10 years	
Spare parts guaranteed	10 years	



Sustainability Data

Cradle to Gate A1-A3

KSW923-0910

KSW923



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO, calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: KSW92011-0910.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

maiz

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO, calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



+45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Total CO2

emission

kg CO₂e

638.57

CO2e/kg

kg CO₂e/kg

3.20

Recycled

materials

%

46.70