# **Pony Seesaw**

M190



Item no. M19001-01P		
General Product Information		
Dimensions LxWxH	42x118x60 cm	
Age group	1+	
Play capacity (users)	2	
Colour options	•	





This seesaw is a highly social piece, inviting cooperation between up to three players, due to the platform between the ponies. The rocking back and forth is started by pushing with your feet. This basic push of the feet directly stimulates the build up of bone density, as does jumping. The feeling of control gained by the cause-and-effect of this piece of equipment builds up the child's feeling of achievement.

# **Pony Seesaw**

M190





Handhold Physical: the vertical handgrips ensure a firm grip at different heights, necessary for rocking intensely. This trains hand and arm muscles.





#### Theme Cognitive: suggests a theme and supports dramatic play, which stimulates language and communication skills.



Rocking together Social-Emotional: the possibility of rocking two together trains cooperation skills. Consideration of others when rocking.



### Rocking movement

Physical: response to movements adds to spatial awareness and sense of balance. These are fundamental motor skills that help the child's ability to sit still on a chair which takes a good sense of balance. Cognitive: trains the understanding of cause and effect: when I move my body, the spring responds with movement.

# **Pony Seesaw**

M190







Panels of 19mm EcoCore<sup>™</sup>. EcoCore<sup>™</sup> is a highly durable, eco friendly material, which is not only recyclable after use, but also consists of material produced from +95% recycled post consumer material from food packing waste.

Seat is made of HPL with a thickness of 17.8mm with a very high wearing strength and a unique KOMPAN nonskid surface texture.

The rocking movement over axis is made by heavy duty scaled ROSTA torsion spring element. The ROSTA element works without any noise and requires low maintenance.

Item no. M19001-01P		
Installation Information		
Max. fall height	60	) cm
Safety surfacing area	9.	2 m²
Total installation time		2.8
Excavation volume	0.12 m³	
Concrete volume	0.00 m³	
Footing depth (standard)	44 cm	
Shipment weight	32 kg	
Anchoring options	In-ground	~
	Surface	~
Warranty Information		
EcoCore HDPE	Lifetime	
Hot dip galvanised steel	Lifetime	
Spare parts guaranteed	10 years	
Springs	5 years	



Handholds are made of injection moulded high quality nylon (PA6). PA6 has good wearing and impact strength.

The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.





### **Sustainability Data**

Cradle to Gate A1-A3

M19001-01P

M190



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO<sub>2</sub> calculation of: Themed play systems



Data version no. 2023-10-05

The  $CO_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Themed play systems" represented by item no.: MSC641100-3717P.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

### Somo

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE www.bureauveritas.dk +45 7731 1000



The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

**Total CO2** 

emission

kg CO<sub>2</sub>e

72.49

CO2e/kg

kg CO<sub>2</sub>e/kg

2.72

Recycled

materials


%

28.46





KOMPAN Let's play





\* Max fall height | \*\* Total height

M19001

Click to see TOP VIEW

5 / 05/23/2024