
NRO210





Product is available as FSC® Certified (FSC® C004450) robinia wood on request.















Pole seats

Physical: balancing and jumping from one seat to the next trains balance, proprioception and builds bone density. Social-Emotional: sharing, listening when having a break.



NRO210



All Organic Robinia products by KOMPAN are made of Robinia wood from sustainable European sources. On request it can be supplied as FSC® Certified (FSC® C004450).



Item no. NRO210-0501					
Installation Information					
Max. fall height		29 cm			
Safety surfacing area	•	12.0 m²			
Total installation time		0.9			
Excavation volume	(	).07 m³			
Concrete volume	(	0.00 m³			
Footing depth (standard)		52 cm			
Shipment weight		17 kg			
Anchoring options	In-ground	· •			
	Surface	~			
Warranty Information					
Robinia wood	1	5 years			
Spare parts guaranteed	10	) years			

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



### **Sustainability Data**

NRO210





C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



#### Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The  $\mathrm{CO}_2$  calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mode

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of  $CO_2$  calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023







Cradle to Gate A1-A3	Total CO <sub>2</sub> emission	CO₂e/kg	Recycled materials
	kg CO₂e	kg CO₂e/kg	%
NRO210-0501	2.09	0.16	0.31


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))






\* Max fall height | \*\* Total height | \*\*\* Safety surfacing area

\* Max fall height | \*\* Total height



**NRO210** 

\*\* 11" / 29cm



Click to see TOP VIEW

Click to see SIDE VIEW