

Super Combi 1, Supervised

FSW251

KOMPAN
Let's play



Item no. FSW25100-0900

General Product Information

Dimensions LxWxH	533x550x325 cm
Age group	13+
Play capacity (users)	13
Color options	



Super Combi 1 Supervised 는 기본형 Super Combi 1 과 동일한 옵션을 갖추고 있으며, 추가로 배틀 로프 커넥터, 복싱 백 커넥터, 그리고 바벨 운동을 위한 스테이션이 포함되어 있습니다. 그러나 이러한 개별 장비들은 공공장소의 안전 기준을 충족하지 않기 때문에, 스포츠 클럽이나 피트니스 센터 등 감독이 이루어지는 제한된 공간에서만 사용하도록

설계되었습니다. Supervised 제품은 반드시 울타리나 게이트가 설치된 공간에서만 사용해야 하며, 피트니스 클럽과 같이 감독이 제공되는 장소나 폐쇄형 커뮤니티에서의 이용을 권장합니다.



Super Combi 1, Supervised

FSW251



Post are made of Ø101.6 x 2mm, pre-galvanized carbon steel and powder coated, a great protection to all conditions.



The snake ladder is made of hot-dip galvanized s235 steel with the following dimensions Ø38 x 4mm. The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.



The rings are made of molded polycarbonate and TPE to ensure a good grip and soft surface. The rings are rotatable and allows for a large variety of exercises.

Item no. FSW25100-0900

Installation Information

Max. fall height	200 cm
Safety surfacing area	46.3 m ²
Total installation time	11.5
Excavation volume	0.83 m ³
Concrete volume	0.50 m ³
Footing depth (standard)	90 cm
Shipment weight	609 kg
Anchoring options	In-ground ✓ Surface ✓

Warranty Information

EcoCore HDPE	Lifetime
Hot dip galvanised steel	Lifetime
PUR components	10 years
Spare parts guaranteed	10 years
Steel	10 years



The top plate for the jumping platform is made of Ekogrip® panels that consist of a 15 mm polyethylene bottom layer, with a 3 mm top-layer of thermoplastic rubber with a non-skid effect for safe jumping exercises under all-weather circumstances.



The plate for the target is made from 19mm EcoCore™ HDPE that consists of +95% recycled post-consumer material from e.g., food packing waste in both core and colorful outer layer.



The Dip-Station is designed with inclusive in mind, allowing wheelchair users to access the bars at either end. The two bars are placed at two different widths and heights – one narrow and high and one wide and low to allow for training of different individuals and muscle groups.

Sustainability Data

FSW251



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
FSW25100-0900	948.16	2.40	56.68

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Fitness



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Super Combi 1, Supervised


FSW251

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



FSW25100
*200cm
**325cm
***46.3m²



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)