


Embankment Slide, 1.0m high, 1.0m wide

KSL30102

KOMPAN
Let's play



Item no. KSL30102-0401

General Product Information

| | |
|-----------------------|---------------|
| Dimensions LxWxH | 225x104x97 cm |
| Age group | 3+ |
| Play capacity (users) | 2 |
| Color options | |



Embankment Slide 는 아이들에게 강한 매력을 선사합니다. 아이들은 언덕을 올라갔다가 다시 미끄러지는 놀이를 반복하며 자연스럽게 몰입하게 됩니다. Embankment Slide 는 놀이터의 중심적인 요소가 될 뿐만 아니라, 아이들이 균형 감각과 공간 인지 능력을 발달시키는 데 도움을 줍니다. 이러한 감각은 아이들이 세상을 자신감 있고 안정적으로

탐색하는 데 중요한 역할을 합니다. 또한, 반복적으로 미끄러지고 다시 언덕을 뛰어오르는 과정은 심폐 지구력과 근력 강화를 위한 훌륭한 운동이 됩니다. 높은 슬라이드를 내려오는 용기를 내는 경험은 성취감을 선사하며, 이는 사회적·정서적 발달에도 긍정적인 영향을 줍니다. 친구들과 함께 미끄러움을 타며 자연스럽게 협력하는 법과

차례를 지키는 능력을 익히게 되어 더욱 풍부한 놀이 경험을 제공합니다.



Embankment Slide, 1.0m high, 1.0m wide


KSL30102



The stainless steel components are made of high quality stainless steel in compliance with global playground standards. The steel is glass blasted after manufacturing to ensure a smooth gliding surface.



At 35°, the slide is set to the optimum angle to ensure both gliding fun and safety.




Catering to different terrains, the embankment slides are available in 9 lengths from 1 - 3m.

| | |
|--------------------------|-------------|
| Item no. KSL30102-0401 | |
| Installation Information | |
| Max. fall height | 100 cm |
| Safety surfacing area | 16.6 m² |
| Total installation time | 4.9 |
| Excavation volume | 0.83 m³ |
| Concrete volume | 0.53 m³ |
| Footing depth (standard) | 110 cm |
| Shipment weight | 286 kg |
| Anchoring options | In-ground ✓ |
| Warranty Information | |
| Spare parts guaranteed | 10 years |
| Stainless steel slide | 10 years |

EN
1176
compliant

Sustainability Data

KSL30102



| Cradle to Gate A1-A3 | Total CO ₂ emission | CO ₂ e/kg | Recycled materials |
|----------------------|--------------------------------|-------------------------|--------------------|
| | kg CO ₂ e | kg CO ₂ e/kg | % |
| KSL30102-0401 | 547.23 | 4.95 | 49.95 |


The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S

C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Verification of CO₂ calculation of: Freestanding play equipment



Data version no. 2023-10-05

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Freestanding play equipment" represented by item no.: GXY916012-3417.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Embankment Slide, 1.0m high, 1.0m wide


KSL30102

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



KSL30102
*100cm
**97cm
***16.6m²



KSL30102

[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)