


# Square Sunshade

NRO202

**KOMPAN**  
Let's play



产品编号 NRO202-1001

## 产品信息概览

长宽高尺寸	449x449x240 cm
适用年龄段	-
容纳人数	-
颜色选择	<input type="radio"/> <input checked="" type="radio"/>


KOMPAN 刺槐原木遮阳板用于大太阳下为游戏区提供遮阳。遮阳板通常用于遮盖孩子们长时间静坐的地方，如沙箱和游戏屋。遮阳板的每个角落都有立柱，帆布用尼龙绳固定在立柱上，并在V形轨道上拉紧。高密度聚乙烯材料非常耐用，但我们建议在大风天气和冬季将帆布取下。小雨时，雨水会流走，而大雨时，雨水会穿过帆布材料，造成损坏。此外，KOMPAN 还提供同样材料的

风障附件，垂直放置在支柱之间，可为遮阳区域提供遮蔽。




# Square Sunshade


NRO202




KOMPAN 的所有有机刺槐产品均由 刺槐木材制成，来自欧洲的可持续环保木材。可根据要求提供 FSC® Certified (FSC® C004450)



The sail is made of 100% High Density Polyethylene HDPE in beige color. The density of approximately 320 g/m<sup>2</sup> ensures a high durability for outdoor usage.



All fixation points are equipped with steel brackets to ensure strong connection to the nylon rope used for tightening.



The rope is attached to the Robinia post by a stainless-steel eye bolt and tightened by a nylon bracket with wedge track. The system ensures the sail is easy to set-up, tighten and take down again.



The HDPE sail is authorized to use the UV-label grade 10 in accordance with UV standard 801 under the test report number 738740-1. See certificate on [www.master.KOMPAN.com](http://www.master.KOMPAN.com)



刺槐桩有木结构地表安装或热浸镀锌钢结构入地安装选项。

产品编号 NRO202-1001

## 安装信息


最大跌落高度	0 cm
安全面积	0.0 m <sup>2</sup>
安装总时长	2.9
开挖量	0.50 m <sup>3</sup>
混凝土使用量	0.17 m <sup>3</sup>
标准入地深度	100 cm
运输重量	155 kg
固定选项	入地 ✓

## 质保信息

镀锌钢结构	终身质保
Robinia 木材	15 年
承保零部件	10 年
不锈钢零件	终身质保
遮阳帆	2 年

# Sustainability Data

NRO202



从原材料到成品

CO<sub>2</sub> 排放总量

CO<sub>2</sub> 排放量 / 千克

回收的原料

kg CO<sub>2</sub>e

kg CO<sub>2</sub>e/kg

%

NRO202-1001

27.73

0.23

0.17

这些因素采用的总体框架为环保产品声明 (EPD), 该声明可量化“产品生命周期的环保信息, 并对相同功能的产品进行对比” (ISO, 2006)。在遵循该框架的同时, 对从原材料到制造的整个产品阶段 (A1-A3) 应用生命周期评估法。

## Kompan A/S

C.F. Tietgens Boulevard 32C  
DK-5220 Odense SØ  
Denmark



## Verification of CO<sub>2</sub> calculation of: Nature play



Data version no. 2023-10-05

The CO<sub>2</sub> calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Nature play" represented by item no.: NRO409-0621.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025

Verified by:

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO<sub>2</sub> calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023

By Bureau Veritas HSE  
www.bureauveritas.dk  
+45 7731 1000



# Square Sunshade

NRO202

最大跌落高度 | 总高度 | 安全区域

最大跌落高度 | 总高度

[点击查看俯视图](#)

[点击查看侧面图](#)