
BLOQX 1

BLX4101



Item no. BLX410102-3717				
General Product Information				
Dimensions LxWxH	183x215x205 cm			
Age group	5 - 12			
Play capacity (users)	8			
Colour options				





The iconic, geometric shaped BLOQX[™] 1 encourages climbing and meeting particularly for teenagers and older children. With its sculptural look and professional climbing grips, BLOQX[™] invites scalable climbing challenges and games. The design allows room for socializing and exchange with its ridges and valleys. The possibility of climbing, crawling and balancing at your own speed make the BLOQX[™] a safe option for children at different climbing levels. Due to its versatility, children will enjoy BLOQX[™] and return for more. The varied grip and panel positions help to develop muscle strength and motor skills: cross-body coordination, proprioception and spatial awareness, having a positive impact on

concentration skills and social-emotional skills such as consideration, which is used when children climb and meet together on the BLOQX[™].



BLX4101





Inclined panels Physical: sense of balance when seated for breaks, and proprioception. Bone density when jumping down. Bone density is built up in youth to last the rest of your life. Social-Emotional: meeting points from where to help other children. Turn-taking and helping out are common activities on the BLOQXTM.





Climbing grips

Physical: dexterity and cross-body coordination, sense of space, all important in navigating the body in space. Pushing, pulling and using fingers, arms, legs and core, strengthen the muscles.



Climbing grips grid Cognitive: logical thinking when figuring out routes and memorizing position of grips you can't see when climbing.

BLOQX 1

BLX4101

repellent.





High pressure moulded PP climbing panels with

excellent impact strength and usable within a

large temperature span. The panel are made

bright colors. Teal color is made from 75%

ocean waste. The outside surface has an

from 75% post-consumer recycled materials in

integrated pattern and surface texture that is dirt





Climbing Grips are KOMPAN customized design, based on professionally designed climbing grips for optimal play value. The base material is polyester. There are two colours of climbing grips (green & black) and three on each panel. They are rotation secured by a steel pin.

Installation Information					
Max. fall height	205 cn	n			
Safety surfacing area	25.0 m	2			
Total installation time	9.1	1			
Excavation volume	0.46 m	3			
Concrete volume	0.20 m	3			
Footing depth (standard)	90 cn	n			
Shipment weight	252 kg	g			
Anchoring options	In-ground 🗸	,			
	Surface 🗸	,			
Warranty Information					
Climbing grips	10 years	s			
Climbing papels (PP)	10 1000	~			

Item no. BLX410102-3717

Climbing grips	10 years
Climbing panels (PP)	10 years
Corner brackets	10 years
Hot dip galvanised steel	Lifetime
Spare parts guaranteed	10 years



The steel surfaces are hot dip galvanised inside and outside with lead free zinc. The galvanisation has excellent corrosion resistance in outside environments and requires low maintenance.

Die-casted corner brackets of high quality lead free aluminium. The corner brackets have nicely rounded edges and countersunk stainless steel screws. For sunny environments the corner brackest can be supplied with optional powder coating which reduced the heat absorption of the brackets.

The cubes are supported by a unique designed

footing system that secures the correct

positioning of the cubes.




Greenline Bloqx products are built of molded PP panels which consist of 75% recycled post consumer ocean waste and 25% virgin material. The panels are designed with a unique pattern that provides a non-skid surface texture. GreenLine ensures the lowest possible CO2e emission factor.

Elevated activities 0	Accessible elevated activities	Accessible ground level activities	Accessible ground level play types
Present	0	1	1
Required	0	1	1



Sustainability Data

BLX4101



Cradle to Gate A1-A3	Total CO ₂ CO ₂ e/kg emission		Recycled materials	
	kg CO₂e	kg CO₂e/kg	%	
BLX410102-3717	290.37	1.69	63.42	

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))



Kompan A/S C.F. Tietgens Boulevard 32C DK-5220 Odense SØ Denmark



Verification of CO₂ calculation of: Challengers & Climbers



Data version no. 20213-10-05

The CO_2 calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Challenger & Climbers" represented by item no.: GXY941032-3717.

(Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 30. October 2023 | Valid until: 30. October 2025 Verified by:

mais

Julie Marie Vejsgaard Larsen, LCA & EPD Consultant

Verification based on report: Validation of CO₂ calculation of 9 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Julie M. V. Larsen.

Publication date: 30. October 2023



www.bureauveritas.dk +45 7731 1000

By Bureau Veritas HSE







* Max fall height | ** Total height | *** Safety surfacing area



* Max fall height | ** Total height





BLX410102

Click to see TOP VIEW

Click to see SIDE VIEW

5 / 02/05/2025